



DNA Submission Instructions for Microarray or STR Analysis

- Submit your sample request on-line at www.wicell.org/testrequest
 - Include tracking information, if available.
 - Upload any required purchase orders.
- WiCell Characterization recommends Qiagen's DNeasy DNA Purification Kit with incorporation of RNase A treatment for isolation of high-quality gDNA from live cells.
- Label sample tubes with cell line name and passage, as you would like it to appear on the final report, and concentration.
- **gDNA Requirements for STR Analysis**
 - UV absorbance must fall within the following range
 - $A_{260/280} \geq 1.5$
 - Submit 1-3ug at a concentration of 100-250ug/ml in a 1.5ml screw-top centrifuge tube
 - Submitted volume must be at least 15ul
- **gDNA Requirements for Microarray (SNP-based) Analysis**
 - Genomic DNA must be RNase treated
 - UV absorbance ratios must fall within the following ranges
 - $A_{260/280} \geq 1.8$
 - $A_{260/230} \geq 2.0$
 - Submitted volume must be at least 15ul
 - Concentration must be between 50-75ng/ul if measured by Qubit, or 100-150ng/ul if measured by Nanodrop
- **gDNA Requirements for Microarray and STR Analysis**
 - If Microarray and STR analysis is to be performed on the same DNA sample, UV absorbance ratios must meet the Microarray requirements
 - Submit $\geq 8\mu\text{g}$ at a concentration of 100-250ug/ml in a 1.5ml screw-top centrifuge tube

gDNA Shipping Instructions

- Place the 1.5ml tube(s) within a 15ml conical tube and pack securely in a Styrofoam box with absorbent material to keep the tube(s) from moving and to provide insulation
- For international submissions, we recommend that you include a temperature monitoring system in your shipment.
- Deliveries are accepted Monday through Friday from 8:00am to 4:00pm (Please **DO NOT** ship First Overnight).
- Print and include the packing slip provided on the confirmation page of your on-line sample submission.
- Place Styrofoam box in a cardboard box, label, and ship **OVERNIGHT** or **INTERNATIONAL PRIORITY** to:

WiCell Characterization Lab
504 S Rosa Rd, Ste. #101
Madison, WI 53719

Shipping materials are available upon request

Please contact us at (608) 291-6100 or email characterization@wicell.org with any questions.

WiCell - Characterization Lab • <https://www.wicell.org/characterization>
PH: (608) 291-6100 • 504 S. Rosa Road, Suite 101, Madison, WI 53719 • Email: characterization@wicell.org
Billing Inquires Contact: accounting@wicell.org