



Thaw and Culture Details

Cell Line Name	STAN011i-123-1	
WiCell Lot Number	DB31129	
Provider	Stanford University – Laboratory of Dr. Marlene Rabinovitch	
Banked By	Stanford University – Laboratory of Dr. Marlene Rabinovitch	
Thaw and Culture Recommendations	WiCell recommends thawing 1 vial into 1 well of a 6 well plate. WiCell recommends thawing using ROCK Inhibitor for best results.	
Culture Platform	Feeder Independent	
	Medium: E8	
	Matrix: Matrigel®	
Protocol	WiCell Feeder Independent E8 Medium Protocol	
Passage Number	p10 These cells were cultured for 10 passages prior to freeze and post reprogramming. Add +1 to the passage number to best represent the overall passage number of the cells at thaw.	
Date Vialied	10-June-2015	
Vial Label	08/12/2015 E 123 D####-### ip 123FSVNOC1 P10 V#####	The label on vial only includes information applicable to the entire lot. “D####-###” and “V#####” are vial specific and therefore are not included on this CoA.
Biosafety and Use Information	Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells. Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.	

Testing Performed by WiCell

Test Description	Test Provider	Test Method	Test Specification	Result
Karyotype by G-banding	WiCell	SOP-CH-003	Expected karyotype	See Report
Post-Thaw Viable Cell Recovery	WiCell	SOP-CH-305	Recoverable attachment after passage	Pass
Identity by STR	UW Translational Research Initiatives in Pathology Laboratory	PowerPlex 16 HS System by Promega	Defines profile	Pass
Sterility	Steris	ST/07	Negative	Pass
Mycoplasma	WiCell	SOP-CH-044	Negative	Pass



Testing Reported by Provider

Test Description	Method	Result
Identity	SNP	iPSCs match the donor material
Mycoplasma	Lonza MycoAlert™ kit	Negative


The Provider stated that the additional analysis listed below may have been performed for this cell line. For more information, publication and dbGaP links, where available, are provided on the cell line specific web page on the WiCell website.

- Infinium® Expanded Multi-Ethnic Genotyping Array (MEGA^{EX})

Approval Date	Quality Assurance Approval
04-June-2016	<div style="text-align: right;">6/6/2019</div> <div style="text-align: center;">X JKG JKG Quality Assurance Signed by: Gay, Jenna</div>

Date Reported: Saturday, June 01, 2019
Cell Line: STAN011i-123-1-DB31129 14642
Passage#: 13
Date of Sample: 5/17/2019
Specimen: Human IPS
Results: 46,XX

Cell Line Sex: Female
Reason for Testing: lot release testing
Investigator: [REDACTED], WiCell



Cell: 19
Slide: G02
Slide Type: Karyotype

Total Counted: 20
Total Analyzed: 8
Total Karyogrammed: 4
Band Resolution: 425 - 475

Interpretation:

This is a normal karyotype; no clonal abnormalities were detected at the stated band level of resolution.

Completed by: [REDACTED], CG(ASCP)
Reviewed and Interpreted by: [REDACTED] PhD, FACMG

Date: _____ **Sent By:** _____ **Sent To:** _____ **QC Review By:** _____

Limitations: This assay allows for microscopic visualization of numerical and structural chromosome abnormalities. The size of structural abnormality that can be detected is >3-10Mb, dependent upon the G-band resolution obtained from this specimen. For the purposes of this report, band level is defined as the number of G-bands per haploid genome. It is documented here as "band level", i.e., the range of bands determined from the four karyograms in this assay. Detection of heterogeneity of clonal cell populations in this specimen (i.e., mosaicism) is limited by the number of metaphase cells examined, documented here as "# of cells counted".

This assay was conducted solely for listed investigator/institution. The results of this assay are for research use only. Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at www.wicell.org/privacyandterms. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.



HISTOLOGY - IHC - MOLECULAR - IMAGING

Department of Pathology and Laboratory Medicine
TRIP Laboratory (Molecular)
<https://research.pathology.wisc.edu/trip-home/>
(608) 265-9168

Short Tandem Repeat Analysis



characterization@wicell.org
(608) 316-4145

Sample Report:

14642-STR

Sample Name on Tube: 14642-STR

65.2 ng/μL, (A260/280=2.01)

Sample Type: Cells

Cell Count: ~2 million cells

Requestor:

WiCell Research Institute

Quality Assurance Department

Receive Date: 05/28/19

Report Sent: 05/31/19

Assay Date: 05/29/19

File Name: STR 190530 WMR

Report Date: 05/30/19

STR Locus	STR Genotype Repeat #	STR Genotype
FGA	16-18,18.2,19,19.2,20,20.2,21,21.2,22, 22.2, 23, 23.2, 24, 24.2, 25, 25.2, 26-30, 31.2, 43.2, 44.2,45.2, 46.2	Identifying information has been redacted to protect donor confidentiality. If more information is required, please, contact WiCell's Technical Support .
TPOX	6-13	
D8S1179	7-18	
vWA	10-22	
Amelogenin	X,Y	
Penta_D	2.2, 3.2, 5, 7-17	
CSF1PO	6-15	
D16S539	5, 8-15	
D7S820	6-14	
D13S317	7-15	
D5S818	7-16	
Penta_E	5-24	
D18S51	8-10, 10.2, 11-13, 13.2, 14-27	
D21S11	24,24.2,25,25.2,26-28,28.2,29,29.2, 30, 30.2,31, 31.2,32,32.2,33,33.2, 34,34.2,35,35.2,36-38	
TH01	4-9,9.3,10-11,13.3	
D3S1358	12-20	

Results: Based on the 14642-STR cells submitted by WiCell QA dated and received on 05/28/19, this sample (Label on Tube: 14642-STR) defines the STR profile of the human cell line STAN011i-123-1 comprising 28 allelic polymorphisms across the 15 STR loci analyzed.

Interpretation: No STR polymorphisms other than those corresponding to the human STAN011i-123-1 cell line were detected and the concentration of DNA required to achieve an acceptable STR genotype (signal/ noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. This result suggests that the 14642-STR sample submitted corresponds to the STAN011i-123-1 cell line and was not contaminated with any other human cells or a significant amount of mouse feeder layer cells.

Sensitivity: Sensitivity limits for detection of STR polymorphisms unique to either this or other human cell lines is ~2-5%.

X *RMB*

Digitally Signed on 05/31/19

██████████, BA
TRIP Laboratory, Molecular

X *WMR*

Digitally Signed on 05/31/19

██████████, PhD, Director / Co-Director
UWHC Molecular Diagnostics Laboratory / UWSMPH TRIP Laboratory

Testing was accomplished by analysis of human genetic polymorphisms at STR loci. This methodology has not yet been approved by the FDA and is for investigational use only.

Acknowledge TRIP in your publications, posters & presentations. For details, see: <https://research.pathology.wisc.edu/acknowledging-trip/>
Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at <https://www.wicell.org/media.acux/ca76d97c-862a-43f3-b02a-ab2d1e619100>. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.

Native Product Sterility Report



WiCell
504 S Rosa Road, Rm 101
Madison, WI 53719

SAMPLE #: 19050849
DATE RECEIVED: 09-May-19
TEST INITIATED: 15-May-19
TEST COMPLETED: 29-May-19

SAMPLE NAME / DESCRIPTION:

MCW057i-A3286	WB67153	14647
B2M-/Etrimer Elf1	WB67154	14648
MCW033i-A7195	WB67156	14649
MCW061i-40000329	WB67157	14650
MCW059i-40001067	WB67158	14651
MCW070i-40002330	WB67159	14652
B2M-/- Elf1	WB67160	14653
JHU210i	WB67162	14654
MCW052i-40001760	WB67163	14655
B2M-/Edimer Elf1	WB67155	14656
MCW063i-40000190	WB67164	14657
MCW065i-40001296	WB67165	14658
B2M-/Edimer(preCre)Elf1	WB67166	14659
MCW069i-40000268	WB67167	14660
MCW093i-40000435	WB67168	14661
PACS1003i-GM27161	DB67161	14662
STAN011i-123-1	DB31129	14663
STAN012i-123-2	DB31135	14664
STAN015i-178-1	DB31094	14665
STAN016i-178-2	DB31107	14666

UNIQUE IDENTIFIER: NA

TEST RESULTS:

# Tested	# Positives (Growth)	- Control
20	0	2 Negatives

TEST SUMMARY:

# Samples	Media Type	Volume (mL)	Incubation Temperature (° C)	Incubation Duration (Days)
20	TSB	40	20-25	14
20	FTG	40	30-35	14

REFERENCE: Processed according to LAB-003: Sterility Test Procedure

PD #: 000053

TEST METHODOLOGY: USP - Direct Transfer

Native Product Sterility Report



COMMENTS: NA

REVIEWED BY *R. Eden*

DATE 29 May 19

Specific test results may not be indicative of the characteristics of any other samples from the same lot or similar lots. This test report shall not be reproduced, except in full, without prior written approval. Liability is limited to the costs of the tests. Results applied to samples as received.



Mycoplasma Assay Report

PCR-based assay performed by WiCell

Lot Release Testing

07May19

FORM SOP-CH-044.03

Version B Edition 01

#	Sample Name	Result	Comments/Suggestions
1	STAN011i-123-1-DB31129 14642	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
2	Positive (+) Control		
3	Negative (-) Control		

Reported by: Brenna Anderson, Research Specialist-Cytogenetics

Reviewed by: Gustavo Velazquez, Research Specialist- Cytogenetics

Date: _____ **Sent By:** _____ **Sent To** _____

Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at www.wicell.org/privacyandterms. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.

A gel image is available upon request.