



## Thaw and Culture Details

Cell Line Name	STAN204i-448C1
WiCell Lot Number	DB44534
Provider	Stanford University – Laboratory of Dr. Thomas Quettermous
Banked By	Icahn School of Medicine at Mount Sinai Stem Cell Core
Thaw and Culture Recommendations	Provider recommends thawing 1 vial into 1 well of a 6 well plate. The Provider recommends thawing using ROCK Inhibitor for best results.
Culture Platform	Feeder Independent
	Medium: mTeSR1™
	Matrix: Matrigel®
Protocol	WiCell Feeder Independent mTeSR1™ Protocol
Passage Number	p12 These cells were cultured for 12 passages after colony picking prior to freeze. Add +1 to the passage number to best represent the overall passage number of the cells at thaw.
Date Vialied	13-August-2015
Vial Label	ISMMS i448 C1P12 AP 081315
Biosafety and Use Information	Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells. Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.


## Testing Reported by Provider

Test Description	Method	Result
Mycoplasma	Lonza MycoAlert kit	Negative

The Provider stated that some or all of the additional analyses listed below may have been performed for this cell line. For more information, publication and dbGaP links, where available, are provided on the cell line specific web page on the WiCell website.

- RNA-Seq
- Whole Genome Sequencing
- Infinium® Expanded Multi-Ethnic Genotyping Array (MEGA<sup>EX</sup>)

Please note: Prior to shipment of these cells, WiCell will perform the following characterization assays: post-thaw viable recovery, identity by STR, sterility, mycoplasma, and karyotype.

Approval Date	Quality Assurance Approval
31-October-2016	<div style="text-align: right; font-size: small;">10/31/2016</div>  <div style="font-size: x-small;">           X AMK            AMK            Quality Assurance            Signed by Klade, Anjelica         </div>