



# Certificate of Analysis

## Thaw and Culture Details

Cell Line Name	<b>STAN222i-509C2</b>	
WiCell Lot Number	<b>DB44165</b>	
Provider/Client	Stanford University – Laboratory of Dr. Thomas Queternous	
Banked By	Icahn School of Medicine at Mount Sinai Stem Cell Core	
Thaw and Culture Recommendations	WiCell recommends thawing 1 vial into 4 wells of a 6 well plate using mTeSR™ Plus and Matrigel®. WiCell recommends passaging with ROCK Inhibitor.	
Protocol	WiCell Feeder Independent Pluripotent Stem Cell Protocol	
Culture Platform Prior to Freeze	Medium: mTeSR™ 1	Matrix: Matrigel®
Passage Number	p12 Cells were cultured for 12 passages after colony picking prior to freeze. Plated cells at thaw should be labeled passage 13.	
Date Vialied	19-AUGUST-2015	
Vial Label	ISMMS 509i C2P12 AP 081915	
Biosafety and Use Information	Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells. Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.	



# Certificate of Analysis

## Results

Test Description	Test Provider	Test Method	Test Specification	Result
Karyotype	WiCell	G-T-L Banding performed on 20 metaphase cells	Expected karyotype	See Report
	<p><b>Results:</b> 47,XY,+i(12)(p10)[5]/46,XY,i(20)(q10)[2]/46,XY[13]</p> <p><b>Interpretation:</b> This is an abnormal karyotype. There are two unrelated abnormal clones. The cells in the predominant clone (five of twenty cells examined; representative image on the left) contain an additional isochromosome of the short (p) arm of chromosome 12. This results in four copies of chromosome 12p. Gain of chromosome 12p is a recurrent acquired abnormality in pluripotent stem cell cultures. The cells in the secondary clone (two of twenty cells examined; representative image on the right) contain an isochromosome of the long (q) arm of chromosome 20. This imbalance results in trisomy for 20q and monosomy for 20p. Gain of chromosome 20q is a recurrent acquired abnormality in pluripotent stem cell cultures.</p> <p>No other clonal abnormalities were detected at the stated band level of resolution.</p>			
Post-Thaw Viable Cell Recovery	WiCell	Thaw using specified Thaw & Culture Recommendations	Recoverable attachment after passage	Pass
Identity by STR	WiCell	PowerPlex 16 HS System by Promega™	Defines STR profile of deposited cell line	See Report
Mycoplasma	WiCell	PCR	Amplification of mycoplasma specific DNA detected with negative result	Pass
Sterility	Steris	Native Product Direct Transfer using FTM and TSB (ST/07)	Negative for growth following 14 days of culture	Pass



# Certificate of Analysis

## Testing Reported by Provider

Test Description	Method	Result
Mycoplasma	Lonza MycoAlert kit	Negative

The Provider stated that some or all of the additional analyses listed below may have been performed for this cell line. For more information, publication and dbGaP links, where available, are provided on the cell line specific web page on the WiCell website.

- RNA-Seq
- Whole Genome Sequencing
- Infinium® Expanded Multi-Ethnic Genotyping Array (MEGA<sup>EX</sup>)

Approval Date	WiCell Quality Assurance Approval
27-July-2022	<p style="text-align: right;">7/27/2022</p> <p>X JKG</p> <p><small>JKG WiCell Quality Assurance Signed by: Gay, Jenna</small></p>

**Date Reported:** Friday, June 24, 2022

**Cell Line Sex:** Male

**Cell Line:** STAN222i-509C2-DB44165

**Reason for Testing:** LOT\_RELEASE

**Submitted Passage #:** 14


**Date of Sample:** 6/15/2022

**Investigator:** WiCell Stem Cell Bank, WiCell


**Specimen:** Human iPSC

**Results:** 47,XY,+i(12)(p10)[5]/46,XY,i(20)(q10)[2]/46,XY[13]

Cell: 51 Slide: G02 Slide Type: Karyotyping



Cell: 9 Slide: G01 Slide Type: Karyotyping



**Total Counted:** 20

**Total Analyzed:** 8

**Total Karyogrammed:** 4

**Band Resolution:** 500 - 575

**Interpretation:**

*This is an abnormal karyotype. There are two unrelated abnormal clones.*

*The cells in the predominant clone (five of twenty cells examined; representative image on the left) contain an additional isochromosome of the short (p) arm of chromosome 12. This results in four copies of chromosome 12p. Gain of chromosome 12p is a recurrent acquired abnormality in pluripotent stem cell cultures.*

*The cells in the secondary clone (two of twenty cells examined; representative image on the right) contain an isochromosome of the long (q) arm of chromosome 20. This imbalance results in trisomy for 20q and monosomy for 20p. Gain of chromosome 20q is a recurrent acquired abnormality in pluripotent stem cell cultures.*

*No other clonal abnormalities were detected at the stated band level of resolution.*

**Completed by:** Kate Bird, CG(ASCP)

**Reviewed and Interpreted by:** Kaitlin C. Lenhart, PhD, FACMG

For internal use only

**Date:** \_\_\_\_\_ **Sent By:** \_\_\_\_\_ **Sent To:** \_\_\_\_\_ **QC Review By:** \_\_\_\_\_

**Case #: 092544**

**Cell Line: STAN222i-509C2-DB44165**

*Limitations: This assay allows for microscopic visualization of numerical and structural chromosome abnormalities. The size of structural abnormality that can be detected is >3-10Mb, dependent upon the G-band resolution obtained from this specimen. For the purposes of this report, band level is defined as the number of G-bands per haploid genome. It is documented here as "band level", i.e., the range of bands determined from the four karyograms in this assay. Detection of heterogeneity of clonal cell populations in this specimen (i.e., mosaicism) is limited by the number of metaphase cells examined, documented here as "# of cells counted".*

*This assay was conducted solely for listed investigator/institution. The results of this assay are for research use only. Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at [www.wicell.org/privacyandterms](http://www.wicell.org/privacyandterms). Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.*



# Short Tandem Repeat

Form SOP-89.01

Version 8.0

Requestor: WiCell Stem Cell Bank, WiCell

Samples Received: 16Jun22, 15Jun22, 14Jun22, 13Jun22

STR Amplification Date: 22Jun22

Sample Name	STAN220i-504C2-DB35478 p15	STAN256i-649C2-DB44439 p15	WIZ03e-H9CAGhM3Dq-WB67889 p43	STAN223i-509C3-DB44168 p14	STAN222i-509C2-DB44165 p14	STAN255i-649C1-DB44436 p15	PENN003i-661-4-DB36301 p15
Label on tube	92557	92556	92553	92545	92544	92501	92500
FGA	Identifying information has been redacted to protect donor confidentiality. If more information is required, please contact <a href="mailto:info@wicell.org">info@wicell.org</a>						
TPOX							
D8S1179							
vWA							
Amelogenin							
Penta_D							
CSF1PO							
D16S539							
D7S820							
D13S317							
D5S818							
Penta_E							
D18S51							
D21S11							
TH01							
D3S1358							
Allelic Polymorphisms	28	26	24	28	28	26	25
Matches*		92501	See Matches Comment	92544	92545	92556	
Comments		<sup>1</sup> Allelic Imbalance		<sup>2</sup> Allelic Imbalance		<sup>1</sup> Allelic Imbalance	

\*Note: The STR profile of the following sample is an exact match for the given sample/samples.



# Short Tandem Repeat

Form SOP-89.01

Version 8.0

Requestor: WiCell Stem Cell Bank, WiCell

Samples Received: 16Jun22, 15Jun22, 14Jun22, 13Jun22

STR Amplification Date: 22Jun22

<b>Sample Name</b>	<b>WIC-WA09- MB-002 p27</b>
<b>Label on tube</b>	92481
<b>FGA</b>	Identifying information has been redacted to protect donor confidentiality. If more information is required, please contact <a href="mailto:info@wicell.org">info@wicell.org</a>
<b>TPOX</b>	
<b>D8S1179</b>	
<b>vWA</b>	
<b>Amelogenin</b>	
<b>Penta_D</b>	
<b>CSF1PO</b>	
<b>D16S539</b>	
<b>D7S820</b>	
<b>D13S317</b>	
<b>D5S818</b>	
<b>Penta_E</b>	
<b>D18S51</b>	
<b>D21S11</b>	
<b>TH01</b>	
<b>D3S1358</b>	
<b>Allelic Polymorphisms</b>	24
<b>Matches*</b>	See Matches Comments
<b>Comments</b>	

*\*Note: The STR profile of the following sample is an exact match for the given sample/samples.*



# Short Tandem Repeat

Form SOP-89.01  
Version 8.0

Requestor: WiCell Stem Cell Bank, WiCell  
Samples Received: 16Jun22, 15Jun22, 14Jun22, 13Jun22  
STR Amplification Date: 22Jun22

**Assay Description:** STR analysis is performed using the PowerPlex 16 HS System by Promega™. Results are reported as 13 CODIS STR markers, Amelogenin for gender determination and two low-stutter, highly discriminating pentanucleotide STR markers.

**Results:** The genotypic profiles comprise a range of 24-28 allelic polymorphisms across the 15 STR loci analyzed.

**Interpretation:** The concentration of DNA required to achieve an acceptable STR genotype (signal/ noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. These results suggests that the cells submitted correspond to the cell lines as named and were not contaminated with any other human cells or a significant amount of mouse feeder layer cells.

**Sensitivity:** Sensitivity limits for detection of STR polymorphisms unique to either this or other human cell lines is ~2-5%.

**Matches:** Samples 92553 and 92481 are 100% match to each other and to 84552, 84553, 84656, 84930, 84931, 84932, 86113, 89607, 90917, 90918 and additional profiles. Additional matches can be provided upon request.

**<sup>1</sup>Allelic Imbalance:** Allelic imbalance was observed in sample 92556 and 92501 at the Amelogenin loci. This could be the result of chromosomal gains, losses, and/or amplifications in the cell line.

**<sup>2</sup>Allelic Imbalance:** Allelic imbalance was observed in sample 92545 at the vWA loci. This could be the result of chromosomal gains, losses, and/or amplifications in the cell line.

6/28/2022	6/28/2022	6/28/2022
<b>X</b> Molly Miles	<b>X</b> Anna Lisa Larson	<b>X</b> Dawn Graham
Tech #1 Characterization Signed by: Miles, Molly	Tech #2 Characterization Signed by: Larson, Anna Lisa	QA Review Quality Assurance Signed by: Graham, Dawn





## Short Tandem Repeat

Form SOP-89.01

Version 8.0

Requestor: WiCell Stem Cell Bank, WiCell

Samples Received: 16Jun22, 15Jun22, 14Jun22, 13Jun22

STR Amplification Date: 22Jun22

*Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at [www.wicell.org/privacyandterms](http://www.wicell.org/privacyandterms). Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.*

*Raw data is available upon request.*



# Mycoplasma Assay Report

PCR-based assay performed by WiCell  
WiCell Stem Cell Bank, WiCell  
17Jun22

Form SOP-83.01  
Version 5.0

Sample Name	Result	Interpretation
WIZ03e-H9CAGhM3Dq-WB67889 p43 (92553)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN223i-509C3-DB44168 p14 (92545)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN222i-509C2-DB44165 p14 (92544)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
WC-24-02-DS-M-WB67887 p14 (92525)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN255i-649C1-DB44436 p15 (92501)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
PENN003i-661-4-DB36301 p15 (92500)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
Positive (+) Control	Positive	
Negative (-) Control	Negative	

## Assay Description

Sample is tested for presence of mycoplasma using EZ-PCR™ Mycoplasma Detection Kit (Sartorius).

6/17/2022	6/20/2022	6/20/2022
<b>X</b> Julia Graham	<b>X</b> Amber Kuhn	<b>X</b> Dawn Graham
Tech #1 Characterization Signed by: Graham, Julia	Tech #2 Characterization Signed by: Kuhn, Amber	QA Review Quality Assurance Signed by: Graham, Dawn

*Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at [www.wicell.org/privacyandterms](http://www.wicell.org/privacyandterms). Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.*

*A gel image is available upon request.*

# Native Product Sterility Report



WiCell  
504 S Rosa Road, Rm 101  
Madison, WI 53719

SAMPLE #: 22061406  
DATE RECEIVED: 23-Jun-22  
TEST INITIATED: 01-Jul-22  
TEST COMPLETED: 15-Jul-22

SAMPLE NAME / DESCRIPTION: WC-24-02-DS-M-WB67887  
STAN220i-504C2-DB35478  
STAN222i-509C2-DB44165  
STAN223i-509C3-DB44168  
WC007i-FX13-2-WB67902  
WIZ03e-H9CAGhM3Dq-WB67889  
WC026i-5807-3-WB67904  
WIZ04e-H9CAGmChry-WB67905  
SCR6904i-WB67890  
PENN078i-SV10-DB36423

UNIQUE IDENTIFIER: N/A

TEST RESULTS:	# Tested	# Positives (Growth)	- Control
	10	0	2 Negatives

TEST SUMMARY:	# Samples	Media Type	Volume (mL)	Incubation Temperature (° C)	Incubation Duration (Days)
	10	TSB	40	20-25	14
	10	FTG	40	30-35	14

REFERENCE: Processed according to LAB-003: Sterility Test Procedure

PD #: 000053

TEST METHODOLOGY: USP - Direct Transfer

COMMENTS: NA

REVIEWED BY 

DATE 18 JUL 2022

Specific test results may not be indicative of the characteristics of any other samples from the same lot or similar lots. This test report shall not be reproduced, except in full, without prior written approval. Liability is limited to the costs of the tests. Results applied to samples as received.