



Thaw and Culture Details

Cell Line Name	STAN332i-952C5
WiCell Lot Number	DB44194
Provider	Stanford University – Laboratory of Dr. Thomas Quettermous
Banked By	Icahn School of Medicine at Mount Sinai Stem Cell Core
Thaw and Culture Recommendations	WiCell recommends thawing 1 vial into 2 wells of a 6 well plate. WiCell recommends thawing using ROCK Inhibitor for best results.
Culture Platform	Feeder Independent
	Medium: mTeSR1™
	Matrix: Matrigel®
Protocol	WiCell Feeder Independent mTeSR1™ Protocol
Passage Number	p12 These cells were cultured for 12 passages after colony picking prior to freeze. Add +1 to the passage number to best represent the overall passage number of the cells at thaw.
Date Vialied	03-September-2015
Vial Label	ISMMS 952i-C5 P12 SLD 090315
Biosafety and Use Information	Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells. Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.

Testing Performed by WiCell

Test Description	Test Provider	Test Method	Test Specification	Result
Karyotype by G-banding	WiCell	SOP-CH-003	Expected karyotype	See Report
Post-Thaw Viable Cell Recovery	WiCell	SOP-CH-305	Recoverable attachment after passage	Pass
Identity by STR	UW Translational Research Initiatives in Pathology Laboratory	PowerPlex 16 HS System by Promega	Defines STR profile of deposited cell line	Pass
Sterility	Steris	ST/07	Negative	Pass
Mycoplasma	WiCell	SOP-CH-044	Negative	Pass



Testing Reported by Provider

Test Description	Method	Result
Mycoplasma	Lonza MycoAlert kit	Negative

The Provider stated that some or all of the additional analyses listed below may have been performed for this cell line. For more information, publication and dbGaP links, where available, are provided on the cell line specific web page on the WiCell website.

- RNA-Seq
- Whole Genome Sequencing
- Infinium® Expanded Multi-Ethnic Genotyping Array (MEGA^{EX})

	Quality Assurance Approval
08-November-2016	<p style="text-align: right;">3/26/2020</p> <p>X JKG</p> <p><small>JKG Quality Assurance Signed by Gay, Jenna</small></p>

Date Reported: Friday, February 28, 2020

Cell Line: STAN332i-952C5-DB44194

Passage#: 14

Date of Sample: 2/25/2020


Specimen: Human iPSC

Results: 46,XX

Cell Line Sex: Female

Reason for Testing: LOT_RELEASE

Investigator: WiCell Stem Cell Bank, WiCell



Cell: 20

Slide: G03

Slide Type: Karyotype

Total Counted: 20

Total Analyzed: 8

Total Karyogrammed: 4

Band Resolution: 500 - 550

Interpretation:

This is a normal karyotype; no clonal abnormalities were detected at the stated band level of resolution.

Completed by: [REDACTED] d, CG(ASCP)

Reviewed and Interpreted by: [REDACTED], PhD, FACMG

Date: _____ **Sent By:** _____ **Sent To:** _____ **QC Review By:** _____

Limitations: This assay allows for microscopic visualization of numerical and structural chromosome abnormalities. The size of structural abnormality that can be detected is >3-10Mb, dependent upon the G-band resolution obtained from this specimen. For the purposes of this report, band level is defined as the number of G-bands per haploid genome. It is documented here as "band level", i.e., the range of bands determined from the four karyograms in this assay. Detection of heterogeneity of clonal cell populations in this specimen (i.e., mosaicism) is limited by the number of metaphase cells examined, documented here as "# of cells counted".

This assay was conducted solely for listed investigator/institution. The results of this assay are for research use only. Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at www.wicell.org/privacyandterms. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.

Short Tandem Repeat Analysis

Department of Pathology and Laboratory Medicine
TRIP Laboratory (Molecular)
<https://research.pathology.wisc.edu/trip-home/>
(608) 265-9168

characterization@wicell.org
(608) 316-4145

Sample Report:

STAN332i-952C5-DB44194 p.14 D01 (80614)

Sample Name on Tube: STAN332i-952C5-DB44194 p.14 D01 (80614)

34.9 ng/μL, (A260/280=1.47)

Sample Type: DNA

Cell Count: N/A

Requestor:

WiCell Research Institute

Characterization Department

Receive Date: 03/02/20

Report Sent: 03/14/20

Assay Date: 03/10/20

File Name: STR 200311 wmr

Report Date: 03/14/20

STR Locus	STR Genotype Repeat #	STR Genotype
FGA	16-18,18.2,19,19.2,20,20.2,21,21.2,22, 22.2, 23, 23.2, 24, 24.2, 25, 25.2, 26-30, 31.2, 43.2, 44.2,45.2, 46.2	Identifying information has been redacted to protect donor confidentiality. If more information is required, please, contact WiCell's Technical Support .
TPOX	6-13	
D8S1179	7-18	
vWA	10-22	
Amelogenin	X,Y	
Penta_D	2.2, 3.2, 5, 7-17	
CSF1PO	6-15	
D16S539	5, 8-15	
D7S820	6-14	
D13S317	7-15	
D5S818	7-16	
Penta_E	5-24	
D18S51	8-10, 10.2, 11-13, 13.2, 14-27	
D21S11	24,24.2,25,25.2,26-28,28.2,29,29.2, 30, 30.2,31, 31.2,32,32.2,33,33.2, 34,34.2,35,35.2,36-38	
TH01	4-9,9.3,10-11,13.3	
D3S1358	12-20	

Results: Based on the STAN332i-952C5-DB44194 p.14 D01 (80614) cells submitted by WiCell Characterization Department dated and received on 03/02/20, this sample (Label on Tube: STAN332i-952C5-DB44194 p.14 D01 (80614)) defines the STR profile of the human cell line STAN332i-952C5 comprising 27 allelic polymorphisms across the 15 STR loci analyzed.

Interpretation: No STR polymorphisms other than those corresponding to the human STAN332i-952C5 cell line were detected and the concentration of DNA required to achieve an acceptable STR genotype (signal/ noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. This result suggests that the STAN332i-952C5-DB44194 p.14 D01 (80614) sample submitted corresponds to the STAN332i-952C5 cell line and was not contaminated with any other human stem cells or a significant amount of mouse feeder layer cells.

Sensitivity: Sensitivity limits for detection of STR polymorphisms unique to either this or other human cell lines is ~2-5%.

X *RMB*

Digitally Signed on 03/14/20

X *WMR*

Digitally Signed on 03/14/20

BA
TRIP Laboratory, Molecular

, PhD, Director / Co-Director
UWHC Molecular Diagnostics Laboratory / UWSMPH TRIP Laboratory

Testing was accomplished by analysis of human genetic polymorphisms at STR loci. This methodology has not yet been approved by the FDA and is for investigational use only.

Acknowledge TRIP in your publications, posters & presentations. For details, see: <https://research.pathology.wisc.edu/acknowledging-trip/>

Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at <https://www.wicell.org/media.acux/ca76d97c-862a-43f3-b02a-ab2d1e619100>. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.

Native Product Sterility Report



WiCell
504 S Rosa Road, Rm 101
Madison, WI 53719

SAMPLE #: 19081786
DATE RECEIVED: 22-Aug-19
TEST INITIATED: 28-Aug-19
TEST COMPLETED: 11-Sep-19

SAMPLE NAME / DESCRIPTION: PACS1001i-GM27160 DB67267 14974
MCW029i-A2757 WB67282 14975
WC048i-17097-02-06 WB67278 14976
WC049i-17097-02-07 WB67280 14977
STAN331i-952C3 DB44191 14978
STAN332i-952C5 DB44194 14979
STAN250i-622C2 DB35669 14980
STAN252i-637C2 DB44374 14981
STAN156i-334C1 DB35697 14982
STAN157i-334C2 DB35700 14983

UNIQUE IDENTIFIER: NA

TEST RESULTS:

# Tested	# Positives (Growth)	- Control
10	0	2 Negatives

TEST SUMMARY:

# Samples	Media Type	Volume (mL)	Incubation Temperature (° C)	Incubation Duration (Days)
10	TSB	40	20-25	14
10	FTG	40	30-35	14

REFERENCE: Processed according to LAB-003: Sterility Test Procedure

PD #: 000053

TEST METHODOLOGY: USP - Direct Transfer

COMMENTS: NA

REVIEWED BY _____

DATE 12 Sep 19

Specific test results may not be indicative of the characteristics of any other samples from the same lot or similar lots. This test report shall not be reproduced, except in full, without prior written approval. Liability is limited to the costs of the tests. Results applied to samples as received.



Mycoplasma Assay Report

PCR-based assay performed by WiCell

WiCell

24Feb20

FORM SOP-CH-048.01

Version B Edition 01

Sample Name	Result	Comments/Suggestions
STAN292i-827C2-DB44307 (80508)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN088i-060C1-DB35739 (80509)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN164i-352C1-DB35976 (80510)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN360i-465C2-DB44240 (80511)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN331i-952C3-DB44191 (80533)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN332i-952C5-DB44194 (80534)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN312i-906C3-DB44421 (80535)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN251i-637C1-DB44371 (80536)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
CREM024i-SS36-1-DB48037 (80537)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN252i-637C2-DB44374 (80538)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
STAN311i-906C1-DB44418 (80539)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
Positive (+) Control	Positive	
Negative (-) Control	Negative	

Reported by: Amber Kuhn, Assistant Research Specialist

Reviewed by: Hannah Rueth, Assistant Research Specialist

Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at www.wicell.org/privacyandterms. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.

A gel image is available upon request.