

Thaw and Culture Details

Cell Line Name	UCSD039i-14-3						
WiCell Lot Number	WB57650						
Provider	University of California, San Diego – Dr. Kelly Frazer						
Banked By	WiCell						
Thaw and Culture Recommendations	WiCell recommends thawing 1 vial into 3 wells of a 6 well plate.						
Culture Platform	Feeder Independent						
	Medium: mTeSR™1						
Matrix: Matrigel®							
Protocol	WiCell Feeder Independent mTeSR [™] 1 Protocol						
Passage Number	p18 These cells were cultured for 17 passages prior to freeze and post reprogramming. WiCell adds +1 to the passage number to best represent the overall passage number of the cells at thaw.						
Date Vialed	19-January-2017						
Vial Label	UCSD039i-14-3 p18 WB57650						
Biosafety and Use Information	Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells. Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.						

Testing Performed by WiCell

Test Description	Test Provider	Test Method	Test Specification	Result	
	WiCell	SOP-CH-003	Expected karyotype	See Report	
Karyotype by G-banding	el(17)(q23)t(1;17)(p31;q23) <i>Interpretation:</i> This is an seemingly unbalanced rear 19. Additional testing, e.g., characterization of this spe No other clonal abnormaliti observed. Comparison of this karyoty	Its: (del(1)(p31.1),del(7)(q11.1),der(9)t(9;19)(p24;q13.1)t(7;19)(q11.1;q13.4)inv(7)(q11. (q23)t(1;17)(p31;q23),der(19)t(9;19)(p24;q13.1)[20] pretation: This is an abnormal karyotype. There are complex structural abnormali ingly unbalanced rearrangements involving chromosomes 1 and 17, and chromoso dditional testing, e.g., chromosomal microarray or spectral karyotyping (SKY), may icterization of this specimen. her clonal abnormalities were detected at the stated band level of resolution. No no			
Post-Thaw Viable Cell Recovery	WiCell	SOP-CH-305	≥ 15 Undifferentiated Colonies, ≤ 30% Differentiation and recoverable attachment after passage	Pass	
Identity by STR	UW Translational Research Initiatives in Pathology Laboratory	PowerPlex 16 HS System by Promega	Defines profile	Pass	
Sterility	Steris	ST/07	Negative	Pass	
Mycoplasma	WiCell	SOP-QU-004	Negative	Pass	

©2017 WiCell Research Institute

The material provided under this certificate has been subjected to the tests specified and the results and data described herein are accurate based on WiCell's reasonable knowledge and belief. Appropriate Biosafety Level practices and universal precautions should always be used with this material. For clarity, the foregoing is governed solely by WiCell's Terms and Conditions of Service, which can be found at http://www.wicell.org/privacyandterms.



Testing Reported by Provider

The Provider stated that some or all of the additional analyses listed below may have been performed for this cell line. For more information, publication and dbGaP links, where available, are provided on the cell line specific web page on the WiCell website.

- Illumina® HumanCoreExome BeadChip Array
- RNA-Seq
- Flow Cytometry (SSEA-4, Tra 1-81)
- Infinium® Expanded Multi-Ethnic Genotyping Array (MEGAEX)

Approval Date	Quality Assurance Approval		
01-February-2017	7/12/2016 XIG Quality Assurance Signed by: Gay, Jenna		

©2017 WiCell Research Institute




Date Reported: Monday, July 02, 2018 Cell Line: UCSD039i-14-3-WB57650 13714 Passage#: 19 Date of Sample: 6/22/2018 Cell Line Sex: Male Reason for Testing: lot release testing

Investigator: , WiCell

Specimen: Human IPS

Results: 46,XY,del(1)(p31.1),del(7)(q11.1),der(9)t(9;19)(p24;q13.1)t(7;19)(q11.1;q13.4)inv(7)(q11.21q36),der(17)d el(17)(q23)t(1;17)(p31;q23),der(19)t(9;19)(p24;q13.1)[20]



Cell: 85 Slide: G03 Slide Type: Karyotype

Total Counted: 20 Total Analyzed: 8 Total Karyogrammed: 5 Band Resolution: 425 - 525

Interpretation:

This is an abnormal karyotype. There are complex structural abnormalities due to seemingly unbalanced rearrangements involving chromosomes 1 and 17, and chromosomes 7, 9, and 19. Additional testing, e.g., chromosomal microarray or spectral karyotyping (SKY), may be helpful in characterization of this specimen.

No other clonal abnormalities were detected at the stated band level of resolution. No normal cells were observed.

Comparison of this karyotype with the karyotype of the source (parental) specimen may be informative regarding the significance and origin of the chromosomal aberrations.

Reviewed and Interpreted by:

A signed copy of this report is available upon request.

Completed by:

Date:	Sent By:	Sent To:	QC Review By:

, CG(ASCP)

PhD, FACMG

Limitations: This assay allows for microscopic visualization of numerical and structural chromosome abnormalities. The size of structural abnormality that can be detected is >3-10Mb, dependent upon the G-band resolution obtained from this specimen. For the purposes of this report, band level is defined as the number of G-bands per haploid genome. It is documented here as "band level", i.e., the range of bands determined from the four karyograms in this assay. Detection of heterogeneity of clonal cell populations in this specimen (i.e.,mosaicism) is limited by the number of metaphase cells examined, documented here as "# of cells counted".

This assay was conducted solely for listed investigator/institution. The results of this assay are for research use only. Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at www.wicell.org/privacyandterms. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.



HISTOLOGY - IHC - MOLECULAR - IMAGING

Department of Pathology and Laboratory Medicine TRIP Laboratory (Molecular) http://www.pathology.wisc.edu/research/trip

Sample Report: 13714-STR Sample Name on Tube: 13714-STR 67.4 ng/μL, (A260/280=1.93) Sample Type: Cells Cell Count: ~2 million cells **Requestor:** WiCell Research Institute Quality Department WiCell[®] info@wicell.org (888) 204-1782

Sample Date: N/A Receive Date: 06/25/18 Assay Date: 06/26/18 File Name: STR 180627 wmr Report Date: 07/05/18

STR Locus	STR Genotype Repeat #	STR Genotype
FGA	16–18,18.2,19,19.2,20,20.2,21,21.2,22, 22.2, 23, 23.2, 24, 24.2, 25, 25.2, 26–30, 31.2, 43.2, 44.2,45.2, 46.2	Identifying information has
TPOX	6-13	been redacted to
D8S1179	7-18	protect donor
vWA	10-22	confidentiality. If
Amelogenin	X,Y	more information
Penta D	2.2, 3.2, 5, 7-17	is required,
CSF1PO	6-15	 please, contact <u>WiCell's Technical</u>
D16S539	5, 8-15	Support.
D7S820	6-14	
D13S317	7-15	
D5S818	7-16	
Penta E	5-24	
D18S51	8-10, 10.2, 11-13, 13.2, 14-27	
D21S11	24,24.2,25,25.2,26-28,28.2,29,29.2, 30, 30.2,31, 31.2,32,32.2,33,33.2, 34,34.2,35,35.2,36-38	
TH01	4-9,9.3,10-11,13.3	
D3S1358	12-20	

<u>Results:</u> Based on the 13714-STR cells submitted by WiCell QA dated and received on 06/25/18, this sample (Label on Tube: 13714-STR) defines the STR profile of the human stem cell line UCSD039i-14-3 comprising 28 allelic polymorphisms across the 15 STR loci analyzed.

<u>Interpretation:</u> No STR polymorphisms other than those corresponding to the human UCSD039i-14-3stem cell line were detected and the concentration of DNA required to achieve an acceptable STR genotype (signal/ noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. This result suggests that the 13714-STR sample submitted corresponds to the UCSD039i-14-3 stem cell line and was not contaminated with any other human stem cells or a significant amount of mouse feeder layer cells.

<u>Sensitivity</u>: Sensitivity limits for detection of STR polymorphisms unique to either this or other human stem cell lines is ~2-5%.

X RMB Digitally Signed on 07/05/18	X WMR Digitally Signed on 07/05/18
, BA	, PhD, Director / Co-Director
TRIP Laboratory Molecular	UWHC Molecular Diagnostics Laboratory / UWSMPH TRIP Laborato

Testing was accomplished by analysis of human genetic polymorphisms at STR loci. This methodology has not yet been approved by the FDA and is for investigational use only. Acknowledge TRIP in your publications, posters & presentations. For details, see: http://www.pathology.wisc.edu/research/trip/acknowledging TRIP agrees to maintain the confidentiality of any information provided to it in connection with its performance of this STR analysis on the same conditions as set forth in paragraph 2 of WiCell's Terms and Conditions of Service (http://www.wicell.org/media.acux/1a429b84-2b54-44a4-8ad8-5c05db93dd8a).



Analysis

Native Product Sterility Report



		SAMPLE #:	17121102
WiCell		DATE RECEIVED:	14-Dec-17
504 S Rosa Rd., Rm 101		TEST INITIATED:	14-Dec-17
Madison, WI 53719		TEST COMPLETED:	02-Jan-18
SAMPLE NAME / DESCRIPTION:	UCSD033i-41-2 WB54901 13153		
	UCSD037i-26-2 WB65027 13154		
	UCSD039i-14-3 WB57650 13155		
	UCSD040i-33-1 WB61158 13156		
	UCSD041i-33-2 WB60323 13157		
	UCSD043i-47-1 WB61824 13158		
	UCSD045i-49-1 WB62417 13159		
	UCSD046i-50-1 WB60581 13160		
	UCSD047i-51-1 WB54782 13161		
	UCSD049i-53-1 WB57867 13162		
	UCSD114i-69-1 WB55346 13163		
	UCSD150i-11-1 WB58932 13164		
	UCSD154i-90-1 WB58798 13165		
	UCSD164i-96-1 WB58713 13166		
	UCSD180i-27-2 WB60894 13167		
	UCSD204i-26-1 WB62522 13168		
	UCSD216i-114-1 WB65031 13169		
	UCSD220i-118-1 WB60019 13170		
	iPS (Foreskin)-4 WB666699 13171		
	WISC015i-SC7 DB666675 13172		
UNIQUE IDENTIFIER:	NA		
PRODUCT REGISTRATION:	Other: Human iPS cells		

TEST RESULTS:	# Tested	# Positives (Growth)	- Control
	20	0	4 Negatives

TEST	SUMN	/ARY:
------	------	-------

# Samples	Media Type	Volume (mL)	Incubation Temperature (° C)	Incubation Duration (Days)
20	TSB	40	20-25	15
20	FTG	40	30-35	15

REFERENCE:

METHOD VALIDATION / PD #:

Processed according to LAB-003: Sterility Test Procedure 000053






TEST METHODOLOGY:

USP - Direct Transfer

COMMENTS: NA

REVIEWED BY



Specific test results may not be indicative of the characteristics of any other samples from the same lot or similar lots. This test report shall not be reproduced, except in full, without prior written approval. Liability is limited to the costs of the tests.



Mycoplasma Detection Assay Report Testing Performed by WiCell

Testing Performed by WiCell Lot Release Testing June 14, 2018 FORM SOP-QU-004.01 Version G Edition 02 Reported by: AP Reviewed by: KR BD Monolight 180

		Read	ing A	Α	Read	ling B	В	Ratio		
#	Sample Name	RLU1	RLU2	Ave	RLU1	RLU2	Ave	B/A	Result	Comments/Suggestions
1	UCSD039i-14-3-WB57650 13714	303	318	310.5	97	99	98	0.32	Negative	
2	Positive (+) Control	560	600	580	21715	21834	21775	37.54	Positive	
3	Negative (-) Control	910	902	560	91	87	89	0.16	Negative	

