



Thaw and Culture Details

Cell Line Name	UCSD207i-31-2
WiCell Lot Number	DB25300
Provider	University of California, San Diego – Dr. Kelly Frazer
Banked By	University of California, San Diego – Dr. Kelly Frazer
Thaw and Culture Recommendations	WiCell recommends thawing 1 vial into 1 well of a 6 well plate. WiCell recommends thawing using ROCK Inhibitor for best results. The Provider recommends only dispase passaging.
Culture Platform	Feeder Independent
	Medium: mTeSR™1
	Matrix: Matrigel®
Protocol	WiCell Feeder Independent mTeSR™1 Protocol
Passage Number	p20 These cells were cultured for 20 passages prior to freeze and post reprogramming. Add +1 to the passage number to best represent the overall passage number of the cells at thaw.
Date Vialled	16-May-2012
Vial Label	T335-Sendai-iPS C1 p20 Mtg/Comm mTeSR CARDiPS project VM for ADP 5/16/2012
Biosafety and Use Information	Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells. Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.

Testing Performed by WiCell

Test Description	Test Provider	Test Method	Test Specification	Result
Karyotype by G-banding	WiCell	SOP-CH-003	Expected karyotype	Pass
<p>Results: 46,XX,del(2)(q11.2q13)[20] Interpretation: This is an abnormal karyotype. There is an unbalanced aberration in the long (q) arm of chromosome 2 in twenty of twenty cells examined. This abnormality appears to be an interstitial deletion. No other clonal abnormalities were found. Comparison of this karyotype with the karyotype of the parental specimen may help to determine the origin and significance of this abnormality.</p>				
Post-Thaw Viable Cell Recovery	WiCell	SOP-CH-305	Recoverable attachment after passage	Pass
Identity by STR	UW Translational Research Initiatives in Pathology Laboratory	PowerPlex 16 HS System by Promega	Defines profile	Pass
Sterility	Steris	ST/07	Negative	Pass
Mycoplasma	WiCell	SOP-QU-004	Negative	Pass



Testing Reported by Provider

The Provider stated that some or all of the additional analyses listed below may have been performed for this cell line. For more information, publication and dbGaP links, where available, are provided on the cell line specific web page on the WiCell website.

- Illumina® HumanCoreExome BeadChip Array
- RNA-Seq
- Flow Cytometry (SSEA-4, Tra 1-81)
- Infinium® Expanded Multi-Ethnic Genotyping Array (MEGA^{EX})

Approval Date	Quality Assurance Approval
03-June-2016	<p style="text-align: right;">11/30/2017</p> <p>X JKG</p> <p><small>JKG Quality Assurance Signed by: Gay, Jenna</small></p>

Date Reported: Monday, October 30, 2017

Cell Line: UCSD207i-31-2-DB25300 13005

Passage#: 22

Date of Sample: 10/20/2017


Specimen: Human IPS

Results: 46,XX,del(2)(q11.2q13)[20]

Cell Line Gender: Female

Reason for Testing: lot release testing

Investigator: [REDACTED], WiCell CDM



Cell: 17

Slide: G03

Slide Type: Karyotype

Total Counted: 20

Total Analyzed: 9

Total Karyogrammed: 5

Band Resolution: 450 - 550

Interpretation:

This is an abnormal karyotype. There is an unbalanced aberration in the long (q) arm of chromosome 2 in twenty of twenty cells examined. This abnormality appears to be an interstitial deletion. No other clonal abnormalities were found.

Comparison of this karyotype with the karyotype of the parental specimen may help to determine the origin and significance of this abnormality.

Completed by: [REDACTED], CG(ASCP)

Reviewed and Interpreted by: [REDACTED], PhD, FACMG

A signed copy of this report is available upon request.

Date: _____ **Sent By:** _____ **Sent To:** _____ **QC Review By:** _____

Limitations: This assay allows for microscopic visualization of numerical and structural chromosome abnormalities. The size of structural abnormality that can be detected is >3-10Mb, dependent upon the G-band resolution obtained from this specimen. For the purposes of this report, band level is defined as the number of G-bands per haploid genome. It is documented here as "band level", i.e., the range of bands determined from the four karyograms in this assay. Detection of heterogeneity of clonal cell populations in this specimen (i.e., mosaicism) is limited by the number of metaphase cells examined, documented here as "# of cells counted".

This assay was conducted solely for listed investigator/institution. The results may not be relied upon by any other party without the prior written consent of the Director of the WiCell Cytogenetics Laboratory. The results of this assay are for research use only. If the results of this assay are to be used for any other purpose, contact the Director of the WiCell Cytogenetics Laboratory.

Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at www.wicell.org/privacyandterms. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.



Short Tandem Repeat Analysis



Department of Pathology and Laboratory Medicine
TRIP Laboratory (Molecular)
<http://www.pathology.wisc.edu/research/trip>

WiCell®
info@wicell.org
(888) 204-1782

Sample Report:

13005-STR
Sample Name on Tube: 13005-STR
96.2 ng/μL, (A260/280=1.94)
Sample Type: Cells
Cell Count: ~2 million cells

Requestor:

WiCell Research Institute
Quality Department

Sample Date: N/A

Receive Date: 10/23/17
Assay Date: 10/24/17
File Name: STR 171025 wmr
Report Date: 10/27/17

STR Locus	STR Genotype Repeat #	STR Genotype
FGA	16-18,18.2,19,19.2,20,20.2,21,21.2,22, 22.2, 23, 23.2, 24, 24.2, 25, 25.2, 26-30, 31.2, 43.2, 44.2,45.2, 46.2	Identifying information has been redacted to protect donor confidentiality. If more information is required, please, contact WiCell's Technical Support .
TPOX	6-13	
D8S1179	7-18	
vWA	10-22	
Amelogenin	X,Y	
Penta_D	2.2, 3.2, 5, 7-17	
CSF1PO	6-15	
D16S539	5, 8-15	
D7S820	6-14	
D13S317	7-15	
D5S818	7-16	
Penta_E	5-24	
D18S51	8-10, 10.2, 11-13, 13.2, 14-27	
D21S11	24,24.2,25,25.2,26-28,28.2,29,29.2, 30, 30.2,31, 31.2,32,32.2,33,33.2, 34,34.2,35,35.2,36-38	
TH01	4-9,9.3,10-11,13.3	
D3S1358	12-20	

Results: Based on the 13005-STR cells submitted by WiCell QA dated and received on 10/23/17, this sample (Label on Tube: 13005-STR) defines the STR profile of the human stem cell line UCSD207i-31-2 comprising 27 allelic polymorphisms across the 15 STR loci analyzed.

Interpretation: No STR polymorphisms other than those corresponding to the human UCSD207i-31-2 stem cell line were detected and the concentration of DNA required to achieve an acceptable STR genotype (signal/noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. This result suggests that the 13005-STR sample submitted corresponds to the UCSD207i-31-2 stem cell line and was not contaminated with any other human stem cells or a significant amount of mouse feeder layer cells.

Sensitivity: Sensitivity limits for detection of STR polymorphisms unique to either this or other human stem cell lines is ~2-5%.

X_{RMB} Digitally Signed on 10/30/17

X_{WMR} Digitally Signed on 10/30/17

TRIP Laboratory, Molecular

PhD, Director / Co-Director
UWHC Molecular Diagnostics Laboratory / UWSMPH TRIP Laboratory

Testing was accomplished by analysis of human genetic polymorphisms at STR loci. This methodology has not yet been approved by the FDA and is for investigational use only. Acknowledge TRIP in your publications, posters & presentations. For details, see: <http://www.pathology.wisc.edu/research/trip/acknowledging>
TRIP agrees to maintain the confidentiality of any information provided to it in connection with its performance of this STR analysis on the same conditions as set forth in paragraph 2 of WiCell's Terms and Conditions of Service (<http://www.wicell.org/media.acux/1a429b84-2b54-44a4-8ad8-5c05db93dd8a>).

Native Product Sterility Report



WiCell
504 S Rosa Rd, Rm 101
Madison, WI 53719

SAMPLE #: 17110123
DATE RECEIVED: 02-Nov-17
TEST INITIATED: 06-Nov-17
TEST COMPLETED: 20-Nov-17

SAMPLE NAME / DESCRIPTION: iPS(Foreskin)-2-WB66647 13010
iPS(Foreskin)-3-WB66648 13011
UCSD206i-31-1-DB25304 13013
UCSD206i-31-1-WB66653 13014
UCSD207i-31-2-DB25300 13015
UCSD207i-31-2-WB66652 13016
USCD112i-2-11-DB25859 13017
UCSD002i-16-1-WB53932 13018
UCSD201i-4-2-WB63302 13019
UCSD004i-42-1-WB54900 13020

UNIQUE IDENTIFIER: NA
PRODUCT REGISTRATION: Other: Human iPS cells

TEST RESULTS:

# Tested	# Positives (Growth)	- Control
10	0	2 Negatives

TEST SUMMARY:

# Samples	Media Type	Volume (mL)	Incubation Temperature (° C)	Incubation Duration (Days)
10	TSB	40	20-25	14
10	FTG	40	30-35	14

REFERENCE: Processed according to LAB-003: Sterility Test Procedure
METHOD VALIDATION / PD #: 000053
TEST METHODOLOGY: USP - Direct Transfer

COMMENTS: NA

REVIEWED BY

DATE 20NOV17



Mycoplasma Detection Assay Report

Testing Performed by WiCell

Lot Release Testing

October 16, 2017

FORM SOP-QU-004.01

Version G Edition 02

Reported by: KR

Reviewed by: JB

BD Monolight 180

#	Sample Name	Reading A		A Ave	Reading B		B Ave	Ratio B/A	Result	Comments/Suggestions
		RLU1	RLU2		RLU1	RLU2				
1	UCSD207i-31-2-DB25300 13002	189	184	186.5	75	77	76	0.41	Negative	
2	Positive (+) Control	257	260	258.5	18512	18781	18647	72.13	Positive	
3	Negative (-) Control	445	430	437.5	50	53	51.5	0.12	Negative	

