

## Certificate of Analysis - Amended

Product Description	WA01Distribution Lot			
Cell Line Provider	WiCell Research Institute	WiCell Research Institute		
Parent Material	WA01-DDL-13 <sup>1</sup>	WA01-DDL-13 <sup>1</sup>		
Lot Number	WA01-DL-12	WA01-DL-12		
Date Vialed	21-March-2010	21-March-2010		
Passage Number	P28 <sup>2</sup>	P28 <sup>2</sup>		
Culture Platform	Feeder Independent	Feeder Independent		
	Media: TeSR		Matrix: Matrigel	

The following testing specifications have been met for the specified product lot:

Test Description	Test Provider	Test Method	Test Specification	Result
Post-Thaw Viable Cell Recovery	WiCell	SOP-CH-305	≥ 15 Undifferentiated Colonies, ≤ 30% Differentiation	Pass
Identity by STR	UW Molecular Diagnostics Laboratory	PowerPlex 1.2 System by Promega	Positive Identity	Pass
Sterility - Direct transfer method	Apptec	30744	No contamination detected	Pass
Mycoplasma	Bionique	M250	No contamination detected	Pass
Karyotype by G-banding	WiCell	SOP-CH-003	Normal karyotype	Pass

<sup>&</sup>lt;sup>1</sup> WA01-DDL-13 was released as a MCB.

Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.


Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells.

Amendment(s):

Reason for Amendment	Date
CoA updated to include copyright information. WiCell logo updated.	See signature
CoA updated for clarification of passage number.	01-November-2010
CoA updated for format changes.	13-August-2010
Original CoA	16-June-2010

Date of Lot Release	Quality Assurance Approval
16-June-2010	AMC  AMC  Quality Assurance Signed by:

<sup>&</sup>lt;sup>2</sup> Due to space limitations, only the overall passage number is included on the vial. Prior to freeze, these cells were cultured for a total of 27 passages, 5 of them in mTeSR1/Matrigel. WiCell adds +1 to the overall passage number at freeze so that the number on the vial best represents the overall passage number of the cells at thaw. Footnote provided by T.L. on 29Oct10.





### Short Tandem Repeat Analysis\*

Sample Report: 8481-STR

UW HLA#: 63050

Sample Date: 05/03/10

Received Date: 05/03/10

Requestor: WiCell Research Institute

Test Date: 05/04/10

File Name: 100504

Report Date: 05/10/10

Sample Name: (label on tube) 8481-STR

Description: DNA Extracted by WiCell

 $26.47 \text{ ng/}\mu\text{L}$ ; 260/280 = 1.90

Locus	Repeat #	STR Genotype
D16S539	5, 8-15	9,13
D7S820	6-14	8,12
D13S317	7-15	8,11
D5S818	7-15	9,11
CSF1PO	6-15	12,13
TPOX	6-13	8,11
Amelogenin	NA	X,Y
TH01	5-11	9.3,9.3
vWA	11, 13-21	15,17

Comments: Based on the 8481-STR DNA dated and received on 05/03/10 from WI Cell, this sample (UW HLA# 63050) matches exactly the STR profile of the human stem cell line H1 comprising 15 allelic polymorphisms across the 8 STR loci analyzed. No STR polymorphisms other than those corresponding to the human H1 stem cell line were detected and the concentration of DNA required to achieve an acceptable STR genotype (signal/ noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. These results suggest that the 8481-STR DNA sample submitted corresponds to the H1 stem cell line and was not contaminated with any other human stem cells or a significant amount of mouse feeder layer cells. Sensitivity limits for detection of STR polymorphisms unique to either this or other human stem cell lines is ~5%.

HLA/Molecular Diagnostics Laboratory

HLA/Molecular Diagnostics Laboratory

\* Testing to assess engraftment following bone marrow transplantation was accomplished by analysis of human genetic polymorphisms at STR loci. This methodology has not yet been approved by the FDA and is for investigational use only.

File: Final STR Report

Test Facility:

This report is confidential. No part may be used for advertising or public announcement without written permission. Results apply only to the sample(s) tested.



WiCell Research Institute

Report Number 833787 Page 1 of 1

April 26, 2010 P.O. #:

#### STERILITY TEST REPORT

Sample Information:

hES Cells

1: WA17-pMCB-03 # 9794 2: WA17-pMCB-04 # 2169 3: TE04-MCB-02 # 9051 4: ES01-DL-02 # 0431 5: ES06-DL-06 # 0142 6: WA01-DL-09 # 2852 7: WA01-DL-10 # 4205 8: WA01-DL-11 # 7858 9: WA01-DL-12 # 6048

Date Received: Date in Test:

April 02, 2010 April 07, 2010

**Date Completed:** 

April 21, 2010

**Test Information:** 

Test Codes: 30744, 30744A Immersion, USP / 21 CFR 610.12 Procedure #: BS210WCR.201

TEST PARAMETERS	PRODUCT			
Approximate Volume Tested	0.5 mL	0.5 mL		
Number Tested	18	18		
Type of Media	SCD	FTM		
Media Volume	400 mL	400 mL		
Incubation Period	14 Days	14 Days		
Incubation Temperature	20 °C to 25 °C	30 °C to 35 °C		
RESULTS	18 NEGATIVE	18 NEGATIVE		

04-26-10 Date 04-26-10 Date

Testing conducted in accordance with current Good Manufacturing Practices.







MYCOPLASMA TEST APPENDIX	ING SERVICES		
	9002F LITY ASSURANCE REPORT - GMI 2/10		en et mail a managa de la companya d
QUAI	LITY ASSURANC	CE REPORT	- G M P
TEST PERFORMED	PROCEDURAL REFERENCE	TEST PERFORMED	PROCEDURAL REFERENCE
M-250 M-300 M-350	SOP's 3008, 3011, 3013 SOP's 3008, 3014 SOP's 3008, 3014, 3015	☐ M-700 ☐ M-800	SOP's 3008, 3009, 3010 SOP's 3008, 3011, 3016
Bionique Sample ID	#(s) <u>[010109</u>	gaid AUT denese Y a	nu, dočina lavid soggotosti.
Spring Comment			
sum as 4 bror eavidants	Implication of the personal light between	opisma Pika Dinon	growth diseason and more visit
signature below verit Final Report accurat	sures have been reviewed by the fies that the methods and procedu- ely reflects the raw data generate and final reports are archived on	ares referenced above had during the course of	ave been followed and that the the procedures. All records,
for testing must pa	procedures determine the intervalues quality control mycoplasm the components used is assured	al growth promotion	testing and sterility testing.
Quality Assurance F	Review Date: 6210	ing (1995) and an ing same same same same same same same same	
Reviewed By	QA Assistant:		
		~ 0	
NOTE:			
responsibility of	ot at Bionique <sup>®</sup> Testing Labor of the company submitting the sac for sample stability following rec	mple. Bionique Testing	g Laboratories Inc. will assume
	the detection of microbiological		

Document ID#: DCF9002F

Title: QUALITY ASSURANCE REPORT - GMP

Effective Date: 03/12/10

Edition #: 01

#### REFERENCES

#### Regulatory:

- 1. Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Code of Federal Regulations [CFR], Title 21 CFR Part 210, Current Good Manufacturing Practice in Manufacturing, Processing, Packing, or Holding of Drugs; General. FDA. Office of the Federal Register, National Archives and Records Department.
- 2. Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Code of Federal Regulations [CFR], Title 21 CFR Part 211, Current Good Manufacturing Practice for Finished Pharmaceuticals. FDA. Office of the Federal Register, National Archives and Records Department.
- 3. Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Points to Consider in the Characterization of Cell Lines Used to Produce Biologicals, Director, Center for Biologics Evaluation and Research, FDA. May, 1993. Docket No. 84N-0154.
- 4. Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Code of Federal Regulations [CFR], Title 21 CFR Part 610.30, General Biological Products Standards; Subpart D, Test for Mycoplasma. FDA. Office of the Federal Register, National Archives and Records Department.

#### General:

- 1. Barile MF, Kern J. Isolation of Mycoplasma arginini from commercial bovine sera and its implication in contaminated cell cultures. Proceedings of the Society for Experimental Biology and Medicine, Volume 138, Number 2, November 1971.
- 2. Chen, T.R. In situ detection of mycoplasma contamination in cell cultures by fluorescent Hoechst 33258 stain. Experimental Cell Research, 104: 255-262, 1977.
- 3. Carolyn K. Lincoln and Daniel J. Lundin. Mycoplasma Detection and Control. U. S. Fed. for Culture Collections Newsletter, Vol. 20, Number 4, 1990.
- 4. Fetal Bovine Serum; Proposed Guideline. National Committee For Clinical Laboratory Standards (NCCLS), Vol. 10, Number 6, 1990. (NCCLS publication M25-P).
- 5. McGarrity GJ, Sarama J, Vanaman V. Cell Culture Techniques. ASM News, Vol. 51, No. 4, 1985.
- 6. Tully JG, Razin S. Methods in Mycoplasmology, Volumes I and II. Academic Press, N.Y., 1983.
- 7. Barile MF, Razin S, Tully JG, Whitcomb RF. The Mycoplasmas, Volumes 1-4. Academic Press, N.Y., 1979.
- 8. <a href="http://www.bionique.com/">http://www.bionique.com/</a> Safe Cells Insights





 $\begin{array}{c} \textbf{MYCOPLASMA TESTING SERVICES} \\ \textbf{APPENDIX} \quad \textbf{IV} \end{array}$ 

Page 1 of 2

Document#: Edition#:

DCF3013D

10

Effective Date:

07/15/2003

Title:

M-250 FINAL REPORT SHEET

#### M-250 FINAL REPORT

Direct Specimen Culture Procedure 3008, 3011, 3013

TO: Distribution Lab

WiCell Research Institute

BTL SAMPLE ID#: 61069

P.O.#:

DATE REC'D:

05/04/2010

TEST/CONTROL ARTICLE:

WA01-DL-12 #5478

LOT#:

NA

DIRECT CULTURE SET-UP (DAY 0)	DA	ATE:	05/05/201	0
INDICATOR CELL LINE (VERO)	SEE DNA FLUO	ROCHRO	OME RECORD SHEET	
				DATE
THIOGLYCOLLATE BROTH	DAY 7	+	$\Diamond$	05/12/2010
	DAY 28	+	0	06/02/2010
BROTH-FORTIFIED COMMERCIAL				
0.5 ml SAMPLE	DAY 7	+	$\bigcirc$	05/12/2010
6.0 mL BROTH	DAY 28	+	$\odot$	06/02/2010
BROTH-MODIFIED HAYFLICK				
0.5 mL SAMPLE	DAY 7	+	<u>-</u>	05/12/2010
6.0 mL BROTH	DAY 28	+	$\bigcirc$	06/02/2010
BROTH-HEART INFUSION				
0.5 mL SAMPLE	DAY 7	+	$\overline{}$	05/12/2010
6.0 mL BROTH	DAY 28	+	$\bigcirc$	06/02/2010
(See Reverse)				

Document#:

DCF3013D

Edition#:

10

Effective Date:

07/15/2003

Title:

M-250 FINAL REPORT SHEET

SAMPLE ID#: 61069		AEROBIC	MICROAEROPHILIC	DATE
AGAR PLATES-FORTIFIED COMMERCIAL	DAY 7 DAY 14 DAY 21	+ ① + ① +	+ © + © + ©	$\frac{05/12/2010}{05/19/2010}$ $\frac{05/26/2010}{05/26/2010}$
AGAR PLATES-MODIFIED HAYFLICK	DAY 7 DAY 14 DAY 21	+ ① + ① + ①	+ ① + ① + ①	$\frac{05/12/2010}{05/19/2010}$ $\frac{05/26/2010}{05/26/2010}$
AGAR PLATES-HEART INFUSION	DAY 7 DAY 14 DAY 21	+ 🗇 + 🗇	+ 🕞 + 🕒	$\frac{05/12/2010}{05/19/2010}$ $\frac{05/26/2010}{05/26/2010}$
BROTH SUBCULTURES (DAY 7)		DATE: 05	/12/2010	
		DATE. US	/12/2010	
AGAR PLATES-FORTIFIED COMMERCIAL	DAY 7 DAY 14 DAY 21	+ (-) + (-) + (-)	+ © + © + ©	05/19/2010 05/26/2010 06/02/2010
AGAR PLATES-FORTIFIED	DAY 14	-	+ 🕞	05/26/2010

RESULTS:

No detectable mycoplasmal contamination

 $\frac{6/2/l0}{\text{Date}}$ 

M-250 Procedural Summary: The objective of this test is to ascertain whether or not detectable mycoplasmas are present in an in vitro cell culture sample, be it a primary culture, hybridoma, master seed stock or cell line. This procedure combines an indirect DNA staining approach to detect non-cultivable mycoplasmas with a direct culture methodology utilizing three different mycoplasmal media formulations. The indirect approach involves the inoculation of the sample into a mycoplasma-free VERO (ATCC) indicator cell line and performing a DNA fluorochrome assay after 72-120 hours of incubation. The direct culture aspect of the test utilizes three different mycoplasmal media including both broth and agar formulations. The sample is inoculated into each of the 3 broth formulations and also onto duplicate plates (0.1 mL/plate) for each of the 3 agar formulations. Subculture from broth to fresh agar plates is carried out after 7 days incubation. Agar plates are incubated aerobically and microaerophillically in order to detect any colony forming units morphologically indicative of mycoplasmal contamination. Issuance of the final report with signature of the Laboratory Director signifies that the required controls were performed concurrently with the test sample(s) as detailed in the referenced SOPs and that all test conditions have been found to meet the required acceptance criteria for a valid test, including the appropriate results for the positive and negative controls.



MYCOPLASMA TESTING SERVICES

Document ID #: DCF3008A

3/24/10

07

DNA FLUOROCHROME ASSAY RESULTS

Title:

Edition #:

Effective Date:

Sample ID # <u>61069</u>	<u>M-250</u> Date Rec'd: <u>05/04/2010</u> P.O. #
Indicator Cells Inoculated:	Date/Initials: 5610 / K6
Fixation:	Date/Initials: $5/10/101$
Staining:	Date/Initials: $5/10/101$ H3
TEST/CONTROL ARTICLE:	
WA01-DL-12 #5478	
LOT# <u>NA</u>	
<u>Distribution Lab</u> WiCell Research Institu	ut <u>e</u>
DNA FLUOROCHROMI	E ASSAY RESULTS:
NEGATIVE:	A reaction with staining limited to the nuclear region, which indicates no mycoplasmal contamination.
POSITIVE:	A significant amount of extranuclear staining which strongly suggests mycoplasmal contamination.
INCONCLUSIVI	E:
	A significant amount of extranuclear staining consistent with low - level mycoplasmal contamination or nuclear degeneration.
	A significant amount of extranuclear staining consistent with bacterial. fungal or other microbial contaminant or viral CPE. Morphology not consistent for mycoplasmal contamination.
COMMENTS:	
Date: 5/10/10 Results I	Read by: H3 Date of Review: 5/10/10 Reviewed by: Sat
- 10 - 10	

DNA-FLUOROCHROME ASSAY RESULTS
Procedures 3008, 3009, 3011



# WiCell Cytogenetics Report: 001704-041810 WISC 8481

Report Date: April 24, 2010

Case Details:

Cell Line: WA01-DL-12 (8481)

**Passage #: 29** 

**Date Completed:** 4/24/2010

Cell Line Gender: Male

Investigator: WiCell Stem Cell Bank


Specimen: hESC on Matrigel
Date of Sample: 4/16/2010
Tests,Reason for: Not given

Results: 46,XY

Completed by CG(ASCP), on 4/23/2010

Reviewed and interpreted by PhD, FACMG, on 4/24/2010

*Interpretation:* No clonal abnormalities were detected at the stated band level of resolution.



**Cell:** S01-03

Slide: C-13

Slide Type: Karyotyping

# of Cells Counted: 20

# of Cells Karyotyped: 4

# of Cells Analyzed: 8

**Band Level:** 425-525

Results Transmitted by Fax / Email / Post Sent By:\_\_\_\_\_

QC Review By:

Date:

Sent To:

Results Recorded: