

Product Information and Testing - Amended

Product Information

Product Name	WA01
Alias	H1
Lot Number	WB0194
Parent Material	WA01-WB0111
Depositor	University of Wisconsin – Laboratory of Dr. James Thomson
Banked by	WiCell
Thaw Recommendation	Thaw 1 vial into 1 well of a 6 well plate.
Culture Platform	Feeder Dependent
	Medium: hES Medium
	Matrix: MEF
Protocol	WiCell Feeder Dependent Protocol
Passage Number	p23
	These cells were cultured for 22 passages prior to freeze, 5 of them in mTeSR1/Matrigel (p16-20). WiCell adds +1 to the passage number at freeze so that the number on the vial best represents the overall passage number of the cells at thaw.
Date Vialed	28-September-2012
Vial Label	WA01 WB0194 p23 DF 28SEP12
Biosafety and Use Information	Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells. Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.

Testing Performed by WiCell

	¥			
Test Description	Test Provider	Test Method	Test Specification	Result
Post-Thaw Viable Cell Recovery	WiCell	SOP-CH-305	 ≥ 15 Undifferentiated Colonies, ≤ 30% Differentiation 	Pass
Identity by STR	UW Molecular Diagnostics Laboratory	PowerPlex 16 HS System by Promega	Consistent with known profile	Pass
Sterility - Direct transfer method	Apptec	30744	Negative	Pass
Mycoplasma	Bionique	M250	No contamination detected	Pass
Karyotype by G-banding	WiCell	SOP-CH-003	Normal karyotype	Pass

Amendment(s):

Reason for Amendment	Date
CoA updated to include copyright information.	See Signature
CoA updated for format changes, including adding fields of thaw recommendation, vial label, protocol, and banked by, and removal of footnotes.	08-JUL-2013
Original CoA	19-DEC-2012

Date of Lot Release	Quality Assurance Approval
19-December-2012	1/3/2014 X AMC Quality Assurance Signed by:

©2012 WiCell Research Institute The material provided under this certificate has been subjected to the tests specified and the results and data described herein are accurate based on WiCell's reasonable knowledge and belief. Appropriate Biosafety Level practices and universal precautions should always be used with this material. For clarity, the foregoing is governed solely by WiCell's Terms and Conditions of Service, which can be found at http://www.wicell.org/privacyandterms.



Histocompatibility/Molecular Diagnostics Laboratory

University of Wisconsin Hospital and Clinics

Short Tandem Repeat Analysis*

Sample Report: 10661-STR

Label on Tube: 10661-STR

Sample Date: 11/16/12 Received Date: 11/16/12

Requestor: WiCell Research Institute Test Date: 11/20/12

File Name: STR 121120 SLE

Report Date: 11/21/12

Sample Name: (label on tube) 10661-STR

Description: DNA Extracted by WiCell 251 ng/ μ L; 260/280 = 1.97

Locus	Repeat #	STR Genotype
D16S539	5,8-15	9,13
D7S820	6-14	8,12
D13S317	7-15	8,11
D5S818	7-15	9,11
CSF1PO	6-15	12,13
TPOX	6-13	8,11
Amelogenin	NA	X,Y
TH01	5-11	9.3,9.3
vWA	11, 13-21	15,17

Comments: Based on the 10661-STR DNA dated and received on 11/16/12 from WI Cell, this sample (Label on Tube: 10661-STR) matches exactly the STR profile of the human stem cell line WA01 (H1) comprising 15 allelic polymorphisms across the 8 STR loci analyzed. No STR polymorphisms other than those corresponding to the human WA01 (H1) stem cell line were detected and the concentration of DNA required to achieve an acceptable STR genotype (signal/ noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. These results suggest that the 10661-STR DNA sample submitted corresponds to the WA01 (H1) stem cell line and was not contaminated with any other human stem cells or a significant amount of mouse feeder layer cells. Sensitivity limits for detection of STR polymorphisms unique to either this or other human stem cell lines is $\sim 5\%$.

11/26/12

Date



Molecular Diagnostics Laboratory

Molecular Diagnostics Laboratory

* Testing to assess engraftment following bone marrow transplantation was accomplished by analysis of human genetic polymorphisms at STR loci. This methodology has not yet been approved by the FDA and is for investigational use only.

This report is confidential. No part may be used for advertising or public announcement without written permission. Results apply only to the sample(s) tested.



Report Number 913757 Page 1 of 1

WiCell Research Institute



November 07, 2012 P.O. #:

STERILITY TEST REPORT

1: LT1e-OLIG2GFP #10654 2: WA01-WB0194 #10655 3: IISH2i-BM9 #10656 4: IISH3i-CB6 #10657 5: IISH5i-CML15 #10658

Sample Information:

Date Received: Date in Test: Date Completed: October 19, 2012 October 24, 2012 November 07, 2012

Test Information:

Test Codes: 30744, 30744A Immersion, USP / 21 CFR 610.12 Procedure #: BS210WCR.201

TEST PARAMETERS	PROI	оист
Approximate Volume Tested	0.5 mL	0.5 mL
Number Tested	5	5
Type of Media	SCD	FTM
Media Volume	400 mL	400 mL
Incubation Period	14 Days	14 Days
Incubation Temperature	20 °C to 25 °C	30 °C to 35 °C
RESULTS	5 NEGATIVE	5 NEGATIVE



	1
Vechnical Reviewer /	Date
V	

Testing conducted in accordance with current Good Manufacturing Practices.





BIONIQUE[®] TESTING LABORATORIES. INC.

MYCOPLASMA TESTING SERVICES

APPENDIX

Document ID #:	DCF9002F
Title:	QUALITY ASSURANCE REPORT - GMP
Effective Date:	11/2/11
Edition #:	03

QUALITY ASSURANCE REPORT - G M P

Test Performed	PROCEDURAL REFERENCE	Test Performed	PROCEDURAL REFERENCE	
M-250 M-300 M-350	SOP's 3008, 3011, 3013 SOP's 3008, 3014 SOP's 3008, 3014, 3015	☐ M-700 ☐ M-800	SOP's 3008, 3009, 3010 SOP's 3008, 3011, 3016	25
Bionique Sample ID	#(s) <u>72370</u>	· · · · · · · · · · · · · · · · · · ·	an ^d ari K	

This testing procedure was performed in compliance with the FDA's Current Good Manufacturing Practice (cGMP) standards (to the extent that the regulations pertain to the procedures performed) as specified in the Code of Federal Regulations, Title 21 Parts 210 and 211 [21 CFR 210 & 211]. All related records derived from the test procedures have been reviewed by the Quality Assurance Department. The individual's signature below verifies that the methods and procedures referenced above have been followed and that the Final Report accurately reflects the raw data generated during the course of the procedures. All records, including raw data and final reports are archived on site for a minimum of seven years.

The specified test's procedures determine the intervals at which samples are inspected. The medium used for testing must pass quality control mycoplasmal growth promotion testing and sterility testing. Traceability of all of the components used is assured and supporting documentation can be supplied upon request.

Quality Assurance Review Date	12	12	12		1
Reviewed By	A Assist	ant:			
				<u> </u>	

NOTE:

- 1. Prior to receipt at Bionique[®] Testing Laboratories, Inc., the stability of the test article is the responsibility of the company submitting the sample. Bionique Testing Laboratories Inc. will assume responsibility for sample stability following receipt and prior to being placed on test.
- 2. This test is for the detection of microbiological growth and does not require statistical validation.

BIONIQUE® TESTING LABORATORIES, INC.

APPENDIX

Document ID #:	DCF9002F	
Title:	QUALITY ASSURANCE REPORT - GMP	
Effective Date:	11/2/11	
Edition #:	03	

REFERENCES

Regulatory:

- 1. Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Code of Federal Regulations [CFR], Title 21 CFR Part 210, Current Good Manufacturing Practice in Manufacturing, Processing, Packing, or Holding of Drugs; General. FDA. Office of the Federal Register, National Archives and Records Department.
- 2. Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Code of Federal Regulations [CFR], Title 21 CFR Part 211, Current Good Manufacturing Practice for Finished Pharmaceuticals. FDA. Office of the Federal Register, National Archives and Records Department.
- 3. Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Points to Consider in the Characterization of Cell Lines Used to Produce Biologicals, Director, Center for Biologics Evaluation and Research, FDA. May, 1993. Docket No. 84N-0154.
- 4. Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Code of Federal Regulations [CFR], Title 21 CFR Part 610.30, General Biological Products Standards; Subpart D, Test for Mycoplasma. FDA. Office of the Federal Register, National Archives and Records Department.

General:

- 1. Barile MF, Kern J. Isolation of Mycoplasma arginini from commercial bovine sera and its implication in contaminated cell cultures. Proceedings of the Society for Experimental Biology and Medicine, Volume 138, Number 2, November 1971.
- 2. Chen, T.R. In situ detection of mycoplasma contamination in cell cultures by fluorescent Hoechst 33258 stain. Experimental Cell Research, 104: 255-262, 1977.
- Carolyn K. Lincoln and Daniel J. Lundin. Mycoplasma Detection and Control. U. S. Fed. for Culture Collections Newsletter, Vol. 20, Number 4, 1990.
- Fetal Bovine Serum; Proposed Guideline. National Committee For Clinical Laboratory Standards (NCCLS), Vol. 10, Number 6, 1990. (NCCLS publication M25-P).
- 5. McGarrity GJ, Sarama J, Vanaman V. Cell Culture Techniques. ASM News, Vol. 51, No. 4, 1985.
- 6. Tully JG, Razin S. Methods in Mycoplasmology, Volumes I and II. Academic Press, N.Y., 1983.
- 7. Barile MF, Razin S, Tully JG, Whitcomb RF. The Mycoplasmas, Volumes 1-4. Academic Press, N.Y., 1979.
- 8. <u>http://www.bionique.com/</u> Safe Cells Insights



MYCOPLASMA TESTING SERVICES

APPENDIX IV

Page 1 of 2

Document#:	DCF3013D
Edition#:	10
Effective Date:	07/15/2003
Title:	M-250 FINAL REPORT SHEET

M-250 FINAL REPORT

Direct Specimen Culture Procedure 3008, 3011, 3013

TO: WiCell QA WiCell Research Institute

BTL SAMPLE ID#: 72370	P.O.#:	DATE REC'D:	11/13/2012
TEST/CONTROL ARTICLE:		2	

WA01-WB0194 #10661

LOT#: NA

	DIRECT CULTURE SET-UP (DAY 0)	DATE: 11/14/2012	
	INDICATOR CELL LINE (VERO)	SEE DNA FLUOROCHROME RECORD SHEET	
		DATE	
	THIOGLYCOLLATE BROTH	DAY 7 + 🕤 <u>11/21/2012</u>	
		DAY 28 + 🗇 <u>12/12/2012</u>	
	BROTH-FORTIFIED COMMERCIAL		
	0.5 ml SAMPLE	DAY 7 + 🕞 <u>11/21/2012</u>	
	6.0 ml broth	DAY 28 + 🔿 <u>12/12/2012</u>	
	BROTH-MODIFIED HAYFLICK		
	0.5 ml SAMPLE	DAY 7 + 🕤 <u>11/21/2012</u>	
11	6.0 mL BROTH	DAY 28 + 🔿 <u>12/12/2012</u>	
	BROTH-HEART INFUSION		
	0.5 ml SAMPLE	DAY 7 + 🔿 <u>11/21/2012</u>	
	6.0 mL BROTH	DAY 28 + 🔿 <u>12/12/2012</u>	
	(See Reverse)		

IV

Document#:	DCF3013D			
Edition#:	10			
Effective Date:	07/15/2003			
Title:	M-250 FINAL REPORT	SHEET		
SAMPLE ID#: 7237	0	AEROBIC	MICROAEROPHILIC	DATE
AGAR PLATES-FORTIFI COMMERCIAL	ED DAY 7 DAY 14 DAY 21	+ (D) + (D) + (D)	+ © + © + ©	11/21/2012 11/28/2012 12/05/2012
AGAR PLATES-MODIFIED HAYFLICK	D DAY 7 DAY 14 DAY 21	+ () + () + ()	+ (D) + (D) + (D)	11/21/2012 11/28/2012 12/05/2012
AGAR PLATES-HEART INFUSION	DAY 7 DAY 14 DAY 21	+ (D) + (D) + (D)	$\begin{array}{c} + & \bigcirc \\ + & \bigcirc \\ + & \bigcirc \end{array}$	11/21/2012 11/28/2012 12/05/2012
BROTH SUBCULTURES (DAY 7) DATE: 11/21/2012				
AGAR PLATES-FORTIFI COMMERCIAL	ED DAY 7 DAY 14 DAY 21	+ 0 + 0 + 0	+ © + © + ©	11/28/2012 12/05/2012 12/12/2012
AGAR PLATES-MODIFIE HAYFLICK	D DAY 7 DAY 14 DAY 21	+ (D) + (D) + (D)	+ (i) + (i) + (j)	11/28/2012 12/05/2012 12/12/2012
AGAR PLATES-HEART INFUSION	DAY 7 DAY 14 DAY 21	+ (D) + (D) + (D)	+ (5) + (6) + (5)	11/28/2012 12/05/2012 12/12/2012

RESULTS: No detectable mycoplasmal contamination

12/12/17 Date



ADDITIONAL COMMENTS:

M-250 Procedural Summary: The objective of this test is to ascertain whether or not detectable mycoplasmas are present in an <u>in vitro</u> cell culture sample, be it a primary culture, hybridoma, master seed stock or cell line. This procedure combines an indirect DNA staining approach to detect non-cultivable mycoplasmas with a direct culture methodology utilizing three different mycoplasmal media formulations. The indirect approach involves the inoculation of the sample into a mycoplasma-free VERO (ATCC) indicator cell line and performing a DNA fluorochrome assay after 72-120 hours of incubation. The direct culture aspect of the test utilizes three different mycoplasmal media including both broth and agar formulations. The sample is inoculated into each of the 3 broth formulations and also onto duplicate plates (0.1 mL/plate) for each of the 3 agar formulations. Subculture from broth to fresh agar plates is carried out after 7 days incubation. Agar plates are incubated aerobically and microaerophilically in order to detect any colony forming units morphologically indicative of mycoplasmal contamination. Issuance of the final report with signature of the Laboratory Director signifies that the required controls were performed concurrently with the test sample(s) as detailed in the referenced SOPs and that all test conditions have been found to meet the required acceptance criteria for a valid test, including the appropriate results for the positive and negative controls.



MYCOPLASMA TESTING SERVICES

Document ID #:	DCF3008A
Title:	DNA FLUOROCHROME ASSAY RESULTS
Effective Date:	3/24/10
Edition #:	07

DNA-FLUOROCHROME ASSAY RESULTS

Procedures 3008, 3009, 3011

Sample ID # <u>72370</u>	<u>M-250</u>	Date Rec'd:	<u>11/13/2012</u>	P.O. #	
Indicator Cells Inoculated:	Date/Initials:	11/15/12	BB		
Fixation:	Date/Initials:	11/19/12	1 63		
Staining:	Date/Initials:	11/19/12	1 #3		
TEST/CONTROL ARTICLE:		. ,	-		

WA01-WB0194 #10661

LOT# <u>NA</u>

PLANTER COL


WiCell QA WiCell Research Institute




DNA FLUOROCHROME	ASSAY RESULTS:
<u>NEGATIVE:</u>	A reaction with staining limited to the nuclear region, which indicates no mycoplasmal contamination.
POSITIVE:	A significant amount of extranuclear staining which strongly suggests mycoplasmal contamination.
INCONCLUSIVE:	
	A significant amount of extranuclear staining consistent with low - level mycoplasmal contamination or nuclear degeneration.
	A significant amount of extranuclear staining consistent with bacterial, fungal or other microbial contaminant or viral CPE. Morphology not consistent for mycoplasmal contamination.
COMMENTS:	
Date: ///19/12Results Re	ead by: 13 Date of Review: 1119/12 Reviewed by: 10



Date Reported: Monday, October 29, 2012 Cell Line: WA01-WB0194 10661 Passage#: 24 Date of Sample: 10/24/2012 Specimen: hESC Results: 46,XY





Interpretation:

This is a normal karyotype. No clonal abnormalities were detected at the stated band level of resolution.

Completed by:

Reviewed and Interpreted by:

CG(ASCP) , PhD, FACMG

A signed copy of this report is available upon request.

Date: Sent By: Sent To:	QC Review By:
-------------------------	---------------

Limitations: This assay allows for microscopic visualization of numerical and structural chromosome abnormalities. The size of structural abnormality that can be detected is >3-10Mb, dependent upon the G-band resolution obtained from this specimen. For the purposes of this report, band level is defined as the number of G-bands per haploid genome. It is documented here as "band level", i.e., the range of bands determined from the four karyograms in this assay. Detection of heterogeneity of clonal cell populations in this specimen (i.e., mosaicism) is limited by the number of metaphase cells examined, documented here as "# of cells counted".

This assay was conducted solely for listed investigator/institution. The results may not be relied upon by any other party without the prior written consent of the Director of the WiCell Cytogenetics Laboratory. The results of this assay are for research use only. If the results of this assay are to be used for any other purpose, contact the Director of the WiCell Cytogenetics Laboratory.