

Product Information and Testing - Amended

Product Information

Product Name	WA09
Alias	H9
Lot Number	WB0090
Parent Material	WA09-MCB-01
Depositor	University of Wisconsin – Laboratory of Dr. James Thomson
Banked by	WiCell
Thaw Recommendation	Thaw 1 vial into 4 wells of a 6 well plate.
Culture Platform	Feeder Independent
	Medium: mTeSR1
	Matrix: Matrigel
Protocol	WiCell Feeder Independent Protocol
Passage Number	p24(8)
	These cells were cultured for 23 passages prior to freeze, 7 of them in mTeSR1/Matrigel. WiCell adds +1 to the passage number at freeze so that the number on the vial best represents the overall passage number of the cells at thaw.
Date Vialed	14-May-2011
Vial Label	WB0090 WA09 p24 LK 14MAY11
Biosafety and Use Information	Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells. Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.

Testing Performed by WiCell

Test Description	Test Provider	Test Method	Test Specification	Result
Post-Thaw Viable Cell Recovery	WiCell	SOP-CH-305	 ≥ 15 Undifferentiated Colonies, ≤ 30% Differentiation 	Pass
Identity by STR	UW Molecular Diagnostics Laboratory	PowerPlex 1.2 System by Promega	Consistent with known profile	Pass
Sterility - Direct transfer method	Apptec	30744	Negative	Pass
Mycoplasma	Bionique	M250	No contamination detected	Pass
Karyotype by G-banding	WiCell	SOP-CH-003	Normal karyotype	Pass

Date of Lot Release	Quality Assurance Approval
30-August-2011	10/11/2016 X AMK AMK Ouality Assurance Signed by: Klade, Anjelica

©2011 WiCell Research Institute The material provided under this certificate has been subjected to the tests specified and the results and data described herein are accurate based on WiCell's reasonable knowledge and belief. Appropriate Biosafety Level practices and universal precautions should always be used with this material. For clarity, the foregoing is governed solely by WiCell's Terms and Conditions of Service, which can be found at http://www.wicell.org/privacyandterms.



Histocompatibility/Molecular Diagnostics Laboratory

University of Wisconsin Hospital and Clinics

Short Tandem Repeat Analysis*

Sample Report: 10141-STR

UW HLA#: 65552

Sample Date: 07/01/11 Received Date: 07/01/11

Requestor: WiCell Research Institute Test Date: 07/05/11

File Name: 110706

Report Date: 07/11/11

Sample Name: (label on tube) 10141-STR

Description: DNA Extracted by WiCell 216.3 ug/mL; 260/280 = 1.89

Locus	Repeat #	STR Genotype
D16S539	5,8-15	12,13
D7S820	6-14	9,11
D13S317	7-15	9,9
D5S818	7-15	11,12
CSF1PO	6-15	11,11
TPOX	6-13	10,11
Amelogenin	NA	X,X
TH01	5-11	9.3,9.3
vWA	11, 13-21	17,17

Comments: Based on the DNA 10141-STR dated and received on 07/01/11 from WI Cell, this sample (UW HLA# 65552) matches exactly the STR profile of the human stem cell line H9 comprising 12 allelic polymorphisms across the 8 STR loci analyzed. No STR polymorphisms other than those corresponding to the human H9 stem cell line were detected and the concentration of DNA required to achieve an acceptable STR genotype (signal/noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. These results suggest that the 10141-STR DNA sample submitted corresponds to the H9 stem cell line and it was not contaminated with any other human stem cells or a significant amount of mouse feeder layer cells. Sensitivity limits for detection of STR polymorphisms unique to either this or other human stem cell lines is estimated to be ~5%.




Molecular Diagnostics Laboratory

* Testing to assess engraftment following bone marrow transplantation was accomplished by analysis of human genetic polymorphisms at STR loci. This methodology has not yet been approved by the FDA and is for investigational use only.

This report is confidential. No part may be used for advertising or public announcement without written permission. Results apply only to the sample(s) tested.





Sample Information:

hES Cells 1: IMR90-4-WB0088 10133 2: WA09-WB0090 10134 3: WA01-CB-01 10135 4: SOP-CC-006D.33 10136

Date Received: Date in Test: Date Completed:

Test Information:

June 07, 2011 June 09, 2011 June 23, 2011

Test Codes: 30744, 30744A Immersion, USP / 21 CFR 610.12 Procedure #: BS210WCR.201

TEST PARAMETERS	PRODUCT	
Approximate Volume Tested	0.5 mL	0.5 mL
Number Tested	8	8
Type of Media	SCD	FTM
Media Volume	400 mL	400 mL
Incubation Period	14 Days	14 Days
Incubation Temperature	20 °C to 25 °C	30 °C to 35 °C
RESULTS	8 NEGATIVE	8 NEGATIVE





Testing conducted in accordance with current Good Manufacturing Practices.



bi fique Testing Laboratories	ONIOUE [®] TESTING LABORATORIES, INC.
Mycoplasma Testing Services APPENDIX	
Document ID #:DCF9002FTitle:QUALITY ASSURANCE REPORT - GMPEffective Date:03/12/10Edition #:01	
QUALITY ASSURANC	
Test Performed Procedural Reference M-250 SOP's 3008, 3011, 3013 M-300 SOP's 3008, 3014 M-350 SOP's 3008, 3014, 3015	Test Performed Procedural Reference M-700 SOP's 3008, 3009, 3010 M-800 SOP's 3008, 3011, 3016

This testing procedure was performed in compliance with the FDA's Current Good Manufacturing Practice (cGMP) standards (to the extent that the regulations pertain to the procedures performed) as specified in the Code of Federal Regulations, Title 21 Parts 210 and 211 [21 CFR 210 & 211]. All related records derived from the test procedures have been reviewed by the Quality Assurance Department. The individual's signature below verifies that the methods and procedures referenced above have been followed and that the Final Report accurately reflects the raw data generated during the course of the procedures. All records, including raw data and final reports are archived on site for a minimum of seven years.

The specified test's procedures determine the intervals at which samples are inspected. The medium used for testing must pass quality control mycoplasmal growth promotion testing and sterility testing. Traceability of all of the components used is assured and supporting documentation can be supplied upon request.

	-hill	1		a 13
Quality Assurance Review Date:		1	 35	
Reviewed By	A Assistant:			

NOTE:

Bionique Sample ID #(s)

- 1. Prior to receipt at Bionique[®] Testing Laboratories, Inc., the stability of the test article is the responsibility of the company submitting the sample. Bionique Testing Laboratories Inc. will assume responsibility for sample stability following receipt and prior to being placed on test.
- 2. This test is for the detection of microbiological growth and does not require statistical validation.

BIONIQUE® TESTING LABORATORIES, INC.

APPEN	DIX

Document ID #:	DCF9002F					
Title:	QUALITY AS	SSURANC	ERE	PORT	- GI	MP
Effective Date:	03/12/10			•. •	1	•
Edition #:	01		· ·			

REFERENCES

Regulatory:

- 1. Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Code of Federal Regulations [CFR], Title 21 CFR Part 210, Current Good Manufacturing Practice in Manufacturing, Processing, Packing, or Holding of Drugs; General. FDA. Office of the Federal Register, National Archives and Records Department.
- 2. Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Code of Federal Regulations [CFR], Title 21 CFR Part 211, Current Good Manufacturing Practice for Finished Pharmaceuticals. FDA. Office of the Federal Register, National Archives and Records Department.
- 3. Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Points to Consider in the Characterization of Cell Lines Used to Produce Biologicals, Director, Center for Biologics Evaluation and Research, FDA. May, 1993. Docket No. 84N-0154.
- Department of Health and Human Services, Food and Drug Administration (USA) [FDA]. Code of Federal Regulations [CFR], Title 21 CFR Part 610.30, General Biological Products Standards; Subpart D, Test for Mycoplasma. FDA. Office of the Federal Register, National Archives and Records Department.

General:

- 1. Barile MF, Kern J. Isolation of Mycoplasma arginini from commercial bovine sera and its implication in contaminated cell cultures. Proceedings of the Society for Experimental Biology and Medicine, Volume 138, Number 2, November 1971.
- 2. Chen, T.R. In situ detection of mycoplasma contamination in cell cultures by fluorescent Hoechst 33258 stain. Experimental Cell Research, 104: 255-262, 1977.
- 3. Carolyn K. Lincoln and Daniel J. Lundin. Mycoplasma Detection and Control. U. S. Fed. for Culture Collections Newsletter, Vol. 20, Number 4, 1990.
- 4. Fetal Bovine Serum; Proposed Guideline. National Committee For Clinical Laboratory Standards (NCCLS), Vol. 10, Number 6, 1990. (NCCLS publication M25-P).
- 5. McGarrity GJ, Sarama J, Vanaman V. Cell Culture Techniques. ASM News, Vol. 51, No. 4, 1985.
- 6. Tully JG, Razin S. Methods in Mycoplasmology, Volumes I and II. Academic Press, N.Y., 1983.
- 7. Barile MF, Razin S, Tully JG, Whitcomb RF. The Mycoplasmas, Volumes 1-4. Academic Press, N.Y., 1979.
- 8. <u>http://www.bionique.com/</u> Safe Cells Insights



MYCOPLASMA TESTING SERVICES

ΔD	DEN	DTX	ΤV
AL	FLN.	DIA	ΤV

the second		,	ruge i oi z
Document#: Edition#: Effective Date: Title:	DCF3013D 10 07/15/2003 M-250 FINAL REPORT SHEE	T	

M-250 FINAL REPORT

Direct Specimen Culture Procedure 3008, 3011, 3013

TO: WiCell QA

WiCell Resea	rch Institute		
BTL SAMPLE ID#: 6	5772 P.O.#:	DATE REC'D:	06/16/2011
TEST/CONTROL ARTIC	LE:	6	

WA09-WB0090 #10141

LOT#: NA

DIRECT CULTURE SET-UP (DAY 0)	DA	ATE:	06/16/201	1
INDICATOR CELL LINE (VERO)	SEE DNA FLUO	ROCHRO	ME RECORD SHEET	
				DATE
THIOGLYCOLLATE BROTH	DAY 7	+	0	06/23/2011
	DAY 28	+	\odot	07/14/2011
BROTH-FORTIFIED COMMERCIAL				
0.5 ml SAMPLE	DAY 7	+	0	06/23/2011
6.0 mL BROTH	DAY 28	+	Θ	07/14/2011
BROTH-MODIFIED HAYFLICK				
0.5 ml SAMPLE	DAY 7	+	Θ	06/23/2011
6.0 mL BROTH	DAY 28	+	Θ	07/14/2011
BROTH-HEART INFUSION				
<u>0.5</u> mL SAMPLE	DAY 7	+	Θ	06/23/2011
6.0 mL BROTH	DAY 28	+	\bigcirc	07/14/2011
(See Reverse)				

Document#:	DCF3013D				
Edition#:	10				
Effective Date:	07/15/2003				
Title:	M-250 FINAL REPORT	SHEET	Г		
SAMPLE ID#: 6577	2	AER	OBIC	MICROAEROPHILIC	DATE
AGAR PLATES-FORTIFIE COMMERCIAL	ED DAY 7 DAY 14 DAY 21	+ + +	000	$\begin{array}{c} + & \bigcirc \\ + & \bigcirc \\ + & \bigcirc \end{array}$	06/23/2011 06/30/2011 07/07/2011
AGAR PLATES-MODIFIED HAYFLICK	D DAY 7 DAY 14 DAY 21	+ + +	000	+ () + () + ()	06/23/2011 06/30/2011 07/07/2011
AGAR PLATES-HEART INFUSION	DAY 7 DAY 14 DAY 21	+ + +	000	$\begin{array}{c} + & \bigcirc \\ + & \bigcirc \\ + & \bigcirc \end{array}$	06/23/2011 06/30/2011 07/07/2011
BROTH SUBCULTURES (DAY 7) DATE: 06/23/2011					
AGAR PLATES-FORTIFI	ED DAY 7 DAY 14 DAY 21	+ + +	000	+ © + © + ©	06/30/2011 07/07/2011 07/14/2011
AGAR PLATES-MODIFIED HAYFLICK	D DAY 7 DAY 14 DAY 21	+ + +	000	+ (5) + (5) + (7)	06/30/2011 07/07/2011 07/14/2011
AGAR PLATES-HEART INFUSION	DAY 7 DAY 14 DAY 21	+ + +	000	$\begin{array}{c} + & \bigcirc \\ + & \bigcirc \\ + & \bigcirc \end{array}$	06/30/2011 07/07/2011 07/14/2011

No detectable mycoplasmal contamination **RESULTS:**

7/14/11 Date

· · · · · · · · · · · · · · · · · · ·	
Laboratory Director	
	1
1	n'

.D.

Page 2 of 2

M-250 Procedural Summary: The objective of this test is to ascertain whether or not detectable mycoplasmas are present in an in vitro cell culture sample, be it a primary culture, hybridoma, master seed stock or cell line. This procedure combines an indirect DNA staining approach to detect non-cultivable mycoplasmas with a direct culture methodology utilizing three different mycoplasmal media formulations. The indirect approach involves the inoculation of the sample into a mycoplasma-free VERO (ATCC) indicator cell line and performing a DNA fluorochrome assay after 72-120 hours of incubation. The direct culture aspect of the test utilizes three different mycoplasmal media including both broth and agar formulations. The sample is inoculated into each of the 3 broth formulations and also onto duplicate plates (0.1 mL/plate) for each of the 3 agar formulations. Subculture from broth to fresh agar plates is carried out after 7 days incubation. Agar plates are incubated aerobically and microaerophillically in order to detect any colony forming units morphologically indicative of mycoplasmal contamination. Isamce of the final report with signature of the Laboratory Director signifies that the required controls were performed concurrently with the test sample(s) as detailed in the referenced SOPs and that all test conditions have been found to meet the required acceptance criteria for a valid test, including the appropriate results for the positive and negative controls.



MYCOPLASMA TESTING SERVICES

Document ID #:	DCF3008A
Title:	DNA FLUOROCHROME ASSAY RESULTS
Effective Date:	3/24/10
Edition #:	07

DALA FILLODOOUDOR

		rocedures 3008, 30		8	
Sample ID # <u>65772</u>	<u>M-250</u>	Date Rec'd:	06/16/2011	P.O. #	
Indicator Cells Inoculated:	Date/Initials:	6/16/11	Bris		*
Fixation:	Date/Initials:	6/20/11	/ wik	5 01	
Staining:	Date/Initials:	6/20/11	1 Mk		
TEST/CONTROL ARTICLE: WB00 60 WA09-WB00990 #1014 LOT# NA 7/13/110	1			*	
<u>WiCell QA</u> WiCell Research Institu	140			3 8 2	
Wiech Research Institu			Phone:		
			Fax #:		
			T S	Э. 	2
DNA FLUOROCHROMI	E ASSAY RES	SULTS:	1	1000 1000	
NEGATIVE:	A reaction w mycoplasma	vith staining lim Il contamination	ited to the nucl	ear region, whic	ch indicates no

POSITIVE: A significant amount of extranuclear staining which strongly suggests mycoplasmal contamination.

INCONCLUSIVE:

A significant amount of extranuclear staining consistent with low - level mycoplasmal contamination or nuclear degeneration.

A significant amount of extranuclear staining consistent with bacterial, fungal or other microbial contaminant or viral CPE. Morphology not consistent for mycoplasmal contamination.

 COMMENTS:

 Date:
 6/20/11

 Results Read by:
 Mk

 Date of Review:
 6/20/11

 Reviewed by:
 Wk




Report Date: June 24, 2011

Cell Line: WA	09-WB0090 10141
Passage #: 2:	5
Date of Sample	: 6/16/2011
Date Complete	d: 6/24/2011

Specimen: hESC on Matrigel Cell Line Gender: Female Reason for Testing: lot release testing Investigator:

Results: 46,XX



Interpretation:

No clonal abnormalities were detected within the limits of resolution of this assay.

Completed by	CG(ASCP), on 6/23/2011			
Reviewed and interpreted by		, PhD, FACMG, on 6/24/2011		
Results Transmitted by Fax / I		Date:		
Sent By: QC Review By:		Sent To: Results Recorded:		