

### **Thaw and Culture Details**

Cell Line Name	UCSD137i-83-1					
WiCell Lot Number	WB58970					
Provider	University of California, San Diego – Dr. Kelly Frazer					
Banked By	WiCell					
Thaw and Culture Recommendations	WiCell recommends thawing 1 vial into 4 wells of a 6 well plate.					
Culture Platform	Feeder Independent					
	Medium: mTeSR <sup>™</sup> 1					
	Matrix: Matrigel®					
Protocol	WiCell Feeder Independent mTeSR <sup>™</sup> 1 Protocol					
Passage Number	p28 These cells were cultured for 27 passages prior to freeze and post reprogramming. WiCell adds +1 to the passage number to best represent the overall passage number of the cells at thaw.					
Date Vialed	05-February-2017					
Vial Label	UCSD137i-83-1 p28 WB58970					
Biosafety and Use Information	Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells. Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.					

## **Testing Performed by WiCell**

Test Description	Test Provider	Test Method	Test Specification	Result
Karyotype by G-banding	WiCell	SOP-CH-003	Expected karyotype	See Report
Post-Thaw Viable Cell Recovery	WiCell	SOP-CH-305	<ul> <li>≥ 15 Undifferentiated Colonies,</li> <li>≤ 30% Differentiation and recoverable attachment after passage</li> </ul>	Pass
Identity by STR	UW Translational Research Initiatives in Pathology Laboratory	PowerPlex 16 HS System by Promega	Defines profile	Pass
Sterility	Steris	ST/07	Negative	Pass
Mycoplasma	WiCell	SOP-QU-004	Negative	Pass

## **Testing Reported by Provider**

The Provider stated that some or all of the additional analyses listed below may have been performed for this cell line. For more information, publication and dbGaP links, where available, are provided on the cell line specific web page on the WiCell website.

- Illumina® HumanCoreExome BeadChip Array
- RNA-Seq
- Flow Cytometry (SSEA-4, Tra 1-81)
- Infinium® Expanded Multi-Ethnic Genotyping Array (MEGAEX)

©2017 WiCell Research Institute




Approval Date	Quality Assurance Approval			
18-February-2017	10/25/2018 KG Quality Assurance Signed by Gay, Jenna			

©2017 WiCell Research Institute

The material provided under this certificate has been subjected to the tests specified and the results and data described herein are accurate based on WiCell's reasonable knowledge and belief. Appropriate Biosafety Level practices and universal precautions should always be used with this material. For clarity, the foregoing is governed solely by WiCell's Terms and Conditions of Service, which can be found at http://www.wicell.org/privacyandterms.



Date Reported: Thursday, August 23, 2018 Cell Line: UCSD137i-83-1-WB58970 13931 Passage#: 28 Date of Sample: 8/16/2018 Specimen: Human IPS Results: 46,XX Cell Line Sex: Female Reason for Testing: lot release testing Investigator: , WiCell



Cell: 3 Slide: G01 Slide Type: Karyotype

Total Counted: 20 Total Analyzed: 8 Total Karyogrammed: 4 Band Resolution: 475 - 525

#### Interpretation:

This is a normal karyotype; no clonal abnormalities were detected at the stated band level of resolution.

There is a pericentric inversion of chromosome 9 in all cells examined. This inversion has been reported as a normal population variant.

Completed by: CG(ASCP) Reviewed and Interpreted by: PhD, FACMG

A signed copy of this report is available upon request.

Date:	Sent By:	Sent To:	QC Review By:
-------	----------	----------	---------------

Limitations: This assay allows for microscopic visualization of numerical and structural chromosome abnormalities. The size of structural abnormality that can be detected is >3-10Mb, dependent upon the G-band resolution obtained from this specimen. For the purposes of this report, band level is defined as the number of G-bands per haploid genome. It is documented here as "band level", i.e., the range of bands determined from the four karyograms in this assay. Detection of heterogeneity of clonal cell populations in this specimen (i.e., mosaicism) is limited by the number of metaphase cells examined, documented here as "# of cells counted".

This assay was conducted solely for listed investigator/institution. The results of this assay are for research use only. Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at www.wicell.org/privacyandterms. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.



#### HISTOLOGY - IHC - MOLECULAR - IMAGING

Department of Pathology and Laboratory Medicine TRIP Laboratory (Molecular) http://www.pathology.wisc.edu/research/trip

Sample Report: 13931-STR Sample Name on Tube: 13931-STR 84.1 ng/μL, (A260/280=1.87) Sample Type: Cells Cell Count: ~2 million cells **Requestor:** WiCell Research Institute Quality Department (888) 204-1782 Sample Date: N/A Receive Date: 08/27/18

**Receive Date:** 08/27/18 **Assay Date:** 08/29/18 **File Name:** STR 180830 wmr **Report Date:** 09/05/18

STR Locus	Locus STR Genotype Repeat #						
FGA	16–18,18.2,19,19.2,20,20.2,21,21.2,22, 22.2, 23, 23.2, 24, 24.2, 25, 25.2, 26–30, 31.2, 43.2, 44.2,45.2, 46.2	Identifying information has					
ТРОХ	6-13	been redacted to					
D8S1179	7-18	protect donor					
vWA	10-22	confidentiality. If					
Amelogenin	Х,Ү	more information					
Penta D	2.2, 3.2, 5, 7-17	is required,					
CSF1PO	6-15	<ul> <li>please, contact</li> <li>WiCell's Technical</li> </ul>					
D16S539	5, 8-15	Support.					
D7S820	6-14						
D13S317	7-15						
D5S818	7-16						
Penta E	5-24						
D18S51	8-10, 10.2, 11-13, 13.2, 14-27						
D21S11	24,24.2,25,25.2,26-28,28.2,29,29.2, 30, 30.2,31, 31.2,32,32.2,33,33.2, 34,34.2,35,35.2,36-38						
<b>TH01</b>	4-9,9.3,10-11,13.3						
D3S1358	12-20						

<u>Results:</u> Based on the 13931-STR cells submitted by WiCell QA dated and received on 08/27/18, this sample (Label on Tube: 13931-STR) defines the STR profile of the human stem cell line UCSD137i-83-1 comprising 26 allelic polymorphisms across the 15 STR loci analyzed.

<u>Interpretation:</u> No STR polymorphisms other than those corresponding to the human UCSD137i-83-1 stem cell line were detected and the concentration of DNA required to achieve an acceptable STR genotype (signal/ noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. This result suggests that the 13931-STR sample submitted corresponds to the UCSD137i-83-1 stem cell line and was not contaminated with any other human stem cells or a significant amount of mouse feeder layer cells.

<u>Sensitivity</u>: Sensitivity limits for detection of STR polymorphisms unique to either this or other human stem cell lines is ~2-5%.

X RMB Digitally Signed on 09/06/18	X WMR	Digitally Signed on	09/06/18
, BA TRIP Laboratory Molecular	UWHC Molecular	, PhD, Director / Co-Dire	

Testing was accomplished by analysis of human genetic polymorphisms at STR loci. This methodology has not yet been approved by the FDA and is for investigational use only. Acknowledge TRIP in your publications, posters & presentations. For details, see: http://www.pathology.wisc.edu/research/trip/acknowledging TRIP agrees to maintain the confidentiality of any information provided to it in connection with its performance of this STR analysis on the same conditions as set forth in paragraph 2 of WiCell's Terms and Conditions of Service (http://www.wicell.org/media.acux/1a429b84-2b54-44a4-8ad8-5c05db93dd8a).



WiCell<sup>®</sup> info@wicell.org (888) 204-1782

## Native Product Sterility Report



WiCell

504 S Rosa Rd, Rm 101 Madison, WI 53719

SAMPLE NAME / DESCRIPTION:



 SAMPLE #:
 18020925

 DATE RECEIVED:
 15-Feb-18

 TEST INITIATED:
 20-Feb-18

 TEST COMPLETED:
 06-Mar-18

UCSD084i-6-1 WB61879 13391, UCSD089i-15-1 WB61822 13392 UCSD131i-77-1 WB62260 13393, UCSD134i-80-1 WB62286 13394 UCSD145i-89-1 WB61873 13395, UCSD156i-12-2 WB61889 13396 UCSD171i-100-1 WB62271 13397, UCSD174i-18-2 WB62018 13398 UCSD183i-102-1 WB62287 13399, UCSD186i-103-1 WB62268 13400 UCSD211i-32-1 WB62424 13401, UCSD087i-6-4 WB63448 13402 UCSD090i-15-2 WB62824 13403, UCSD120i-39-1 WB63446 13404 UCSD124i-7-1 WB62648 13405, UCSD149i-10-4 WB63469 13406 UCSD169i-22-2 WB63540 13407, UCSD203i-109-1 WB62436 13408 UCSD096i-34-1 WB64879 13409, UCSD101i-36-2 WB63523 13410 UCSD121i-39-2 WB64666 13411, UCSD122i-73-1 WB63538 13412 UCSD130i-76-1 WB64881 13413, UCSD138i-84-1 WB63874 13414 UCSD141i-37-2 WB65028 13415, UCSD144i-88-1 WB63539 13416 UCSD157i-12-3 WB64922 13417, UCSD159i-91-1 WB64880 13418 UCSD123i-74-1 WB53944 13419, UCSD126i-7-3 WB53933 13420 UCSD185i-8-2 WB54165 13421, UCSD086i-6-3 WB58711 13422 UCSD091i-15-3 WB58791 13423, UCSD118i-38-1 WB57664 13424 UCSD127i-7-4 WB58690 13425, UCSD137i-83-1 WB58970 13426 UCSD142i-86-1 WB58721 13427, UCSD146i-10-1 WB58698 13428 UCSD148i-10-3 WB58204 13429, UCSD162i-94-1 WB58792 13430 UCSD176i-17-1 WB58933 13431, UCSD177i-17-2 WB57849 13432 UCSD202i-108-1 WB57850 13433, UCSD205i-110-1 WB58200 13434 MCW038i-40000503 WB66475 13435, MCW005i-40002552 WB66498 13436 MCW019i-A7230 WB66534 13437, MCW022i-A2965 WB66509 13438 MCW023i-A2121 WB66535 13439, MCW027i-50000784 WB66536 13440

**UNIQUE IDENTIFIER:** 

NA

**PRODUCT REGISTRATION:** 

Other: Human iPS cells

# Native Product Sterility Report



TEST RESULTS:	# Tested	# Positives (Growth)	- Control		
	50	0	Negative		
TEST SUMMARY:	# Samples	Media Type	Volume (mL)	Incubation Temperature (° C)	Incubation Duration (Days)
	50	TSB	40	20-25	14
	50	FTG	40	30-35	14
REFERENCE: METHOD VALIDATIO TEST METHODOLOO		Processed accord 000053 USP - Direct Tran	·	erility Test Procedu	ire

COMMENTS: Report revised due to incorrect Volume.

Sample #18020925

"Reported As" per packing slip

REVIEWED BY

DATE 10008

Specific test results may not be indicative of the characteristics of any other samples from the same lot or similar lots. This test report shall not be reproduced, except in full, without prior written approval. Liability is limited to the costs of the tests.



### Mycoplasma Detection Assay Report Testing Performed by WiCell

Testing Performed by WiCell Lot Release Testing August 16, 2018 FORM SOP-QU-004.01 Version G Edition 02 Reported by: AP Reviewed by: JB BD Monolight 180

		Read	ing A	Α	Read	ing B	В	Ratio		
#	Sample Name	RLU1	RLU2	Ave	RLU1	RLU2	Ave	B/A	Result	<b>Comments/Suggestions</b>
1	UCSD137i-83-1-WB58970 13931	267	275	271	90	87	88.5	0.33	Negative	
2	Positive (+) Control	486	434	460	19592	19817	19705	42.84	Positive	
3	Negative (-) Control	896	897	896.5	94	87	90.5	0.10	Negative	

