



## Thaw and Culture Details

Cell Line Name	<b>MCW026i-50000685</b>
WiCell Lot Number	<b>WB67283</b>
Parent Material	MCW026i-50000685-DB66331
Provider	Medical College of Wisconsin – Laboratory of Dr. Ulrich Broeckel
Banked By	WiCell
Thaw and Culture Recommendations	WiCell recommends thawing 1 vial into 3 wells of a 6 well plate.
Culture Platform	Feeder Independent
	Medium: mTeSR™1
	Matrix: Matrigel®
Protocol	WiCell Feeder Independent mTeSR™1 Protocol
Passage Number	p17 These cells were cultured for 16 passages prior to freeze and post colony selection. WiCell adds +1 to the passage number at freeze to best represent the overall passage number of the cells at thaw. Plated cells at thaw should be labeled passage 17.
Date Viald	11-August-2019
Vial Label	MCW026i-50000685 p17 WB67283
Biosafety and Use Information	Appropriate biosafety precautions should be followed when working with these cells. The end user is responsible for ensuring that the cells are handled and stored in an appropriate manner. WiCell is not responsible for damages or injuries that may result from the use of these cells. Cells distributed by WiCell are intended for research purposes only and are not intended for use in humans.

## Testing Performed by WiCell

Test Description	Test Provider	Test Method	Test Specification	Result
Karyotype by G-banding	WiCell	SOP-CH-003	Expected karyotype	See Report
Post-Thaw Viable Cell Recovery	WiCell	SOP-CH-305	≥ 15 Undifferentiated Colonies prior to passage, ≤ 30% Differentiation prior to passage, and recoverable attachment after passage	Pass
Identity by STR	UW Translational Research Initiatives in Pathology Laboratory	PowerPlex 16 HS System by Promega	Defines STR profile of deposited cell line	Pass
Sterility	Steris	ST/07	Negative	Pass
Mycoplasma	WiCell	SOP-CH-044	Negative	Pass

## Testing Reported by Provider

The Provider stated that some or all of the additional analyses listed below may have been performed for this cell line. For more information, publication and dbGaP links, where available, are provided on the cell line specific web page on the WiCell website.

- Tra1-60 marker expression
- mRNA expression by qPCR
- Infinium® Expanded Multi-Ethnic Genotyping Array (MEGA<sup>EX</sup>)



Approval Date	Quality Assurance Approval
13-February-2020	<p style="text-align: right;">2/13/2020</p> <p>X _____ JKG Quality Assurance Signed by: Gay, Jenna</p>

**Date Reported:** Wednesday, February 5, 2020

**Cell Line Sex:** Female

**Cell Line:** MCW026i-50000685-WB67283  
15256

**Reason for Testing:** Lot Release


**Passage#:** 17

**Date of Sample:** 1/28/2020

**Investigator:** [REDACTED], WiCell

**Specimen:** Human iPSC

**Results:** 46,XX



**Cell:** 35

**Slide:** G02

**Slide Type:** Karyotype

**Total Counted:** 20

**Total Analyzed:** 8

**Total Karyogrammed:** 4

**Band Resolution:** 400 - 500

**Interpretation:**

*This is a normal karyotype; no clonal abnormalities were detected at the stated band level of resolution.*

**Completed by:** [REDACTED], CG(ASCP)

**Reviewed and Interpreted by:** [REDACTED], Ph.D.

**Date:** \_\_\_\_\_ **Sent By:** \_\_\_\_\_ **Sent To:** \_\_\_\_\_ **QC Review By:** \_\_\_\_\_

*Limitations: This assay allows for microscopic visualization of numerical and structural chromosome abnormalities. The size of structural abnormality that can be detected is >3-10Mb, dependent upon the G-band resolution obtained from this specimen. For the purposes of this report, band level is defined as the number of G-bands per haploid genome. It is documented here as "band level", i.e., the range of bands determined from the four karyograms in this assay. Detection of heterogeneity of clonal cell populations in this specimen (i.e., mosaicism) is limited by the number of metaphase cells examined, documented here as "# of cells counted".*

*This assay was conducted solely for listed investigator/institution. The results of this assay are for research use only. Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at [www.wicell.org/privacyandterms](http://www.wicell.org/privacyandterms). Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.*

# Short Tandem Repeat Analysis

Department of Pathology and Laboratory Medicine  
 TRIP Laboratory (Molecular)  
<https://research.pathology.wisc.edu/trip-home/>  
 (608) 265-9168

characterization@wicell.org  
 (608) 316-4145

**Sample Report:**

MCW026i-50000685-WB67283 15256 p.17 (79990) D01

**Sample Name on Tube:** MCW026i-50000685-WB67283 15256 p.17 (79990) D01 Characterization Department

89.7 ng/μL, (A260/280=1.76)

**Sample Type:** DNA

**Cell Count:** N/A

**Requestor:**

WiCell Research Institute

**Receive Date:** 02/03/20

**Report Sent:** 02/10/20

**Assay Date:** 02/04/20

**File Name:** STR 200207 wmr

**Report Date:** 02/10/20

STR Locus	STR Genotype Repeat #	STR Genotype
FGA	16-18,18.2,19,19.2,20,20.2,21,21.2,22, 22.2, 23, 23.2, 24, 24.2, 25, 25.2, 26-30, 31.2, 43.2, 44.2,45.2, 46.2	Identifying information has been redacted to protect donor confidentiality. If more information is required, please, contact <a href="#">WiCell's Technical Support</a> .
TPOX	6-13	
D8S1179	7-18	
vWA	10-22	
Amelogenin	X,Y	
Penta_D	2.2, 3.2, 5, 7-17	
CSF1PO	6-15	
D16S539	5, 8-15	
D7S820	6-14	
D13S317	7-15	
D5S818	7-16	
Penta_E	5-24	
D18S51	8-10, 10.2, 11-13, 13.2, 14-27	
D21S11	24,24.2,25,25.2,26-28,28.2,29,29.2, 30, 30.2,31, 31.2,32,32.2,33,33.2, 34,34.2,35,35.2,36-38	
TH01	4-9,9.3,10-11,13.3	
D3S1358	12-20	

**Results:** Based on the MCW026i-50000685-WB67283 15256 p.17 (79990) D01 DNA submitted by WiCell Characterization Department dated and received on 02/03/20, this sample (Label on Tube: MCW026i-50000685-WB67283 15256 p.17 (79990) D01) defines the STR profile of the human cell line MCW026i-50000685 comprising 27 allelic polymorphisms across the 15 STR loci analyzed.

**Interpretation:** No STR polymorphisms other than those corresponding to the human MCW026i-50000685 cell line were detected and the concentration of DNA required to achieve an acceptable STR genotype (signal/ noise) was equivalent to that required for the standard procedure (~1 ng/amplification reaction) from human genomic DNA. This result suggests that the MCW026i-50000685-WB67283 15256 p.17 (79990) D01 sample submitted corresponds to the MCW026i-50000685 cell line and was not contaminated with any other human stem cells or a significant amount of mouse feeder layer cells.

**Sensitivity:** Sensitivity limits for detection of STR polymorphisms unique to either this or other human cell lines is ~2-5%.

X<sub>RMB</sub>

Digitally Signed on 02/10/20

██████████, BA  
 TRIP Laboratory, Molecular

X<sub>WMR</sub>

Digitally Signed on 02/10/20

██████████, PhD, Director / Co-Director  
 UWHC Molecular Diagnostics Laboratory / UWSMPH TRIP Laboratory

Testing was accomplished by analysis of human genetic polymorphisms at STR loci. This methodology has not yet been approved by the FDA and is for investigational use only.

**Acknowledge TRIP in your publications, posters & presentations. For details, see:** <https://research.pathology.wisc.edu/acknowledging-trip/>  
 Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at <https://www.wicell.org/media.acux/ca76d97c-862a-43f3-b02a-ab2d1e619100>. Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.

# Native Product Sterility Report



## CORRECTED REPORT

WiCell  
504 S Rosa Road, Rm 101  
Madison, WI 53719

SAMPLE #: 19090374  
DATE RECEIVED: 05-Sep-19  
TEST INITIATED: 09-Sep-19  
TEST COMPLETED: 23-Sep-19

SAMPLE NAME / DESCRIPTION:	CBiPS-LZ6+3	WB67279	14989
	hIPSC-Di21-c2-4-4	WB67281	14990
	MCW026i-50000685	WB67283	14991
	NiPSC	WB67284	14992
	WIZ02e-H9CAGhM4Di	WB67286	14993
	WIZ04e-H9CAGmChry	WB67287	14994
	WC050i-17097-02-01	WB67288	14995
	WC005i-FX11-7	WB67289	14996
	PACS1002i-GM27159	DB67290	14997
	SCR4505i	WB67291	14998

UNIQUE IDENTIFIER: NA

### TEST RESULTS:

# Tested	# Positives (Growth)	- Control
10	0	2 Negatives

### TEST SUMMARY:

# Samples	Media Type	Volume (mL)	Incubation Temperature (° C)	Incubation Duration (Days)
10	TSB	40	20-25	14
10	FTG	40	30-35	14

REFERENCE: Processed according to LAB-003: Sterility Test Procedure

PD #: 000053

TEST METHODOLOGY: USP - Direct Transfer

COMMENTS: Report revised due to corrected Sample Name/Description.

REVIEWED BY

DATE

25 SEP 19

Specific test results may not be indicative of the characteristics of any other samples from the same lot or similar lots. This test report shall not be reproduced, except in full, without prior written approval. Liability is limited to the costs of the tests. Results applied to samples as received.



# Mycoplasma Assay Report

PCR-based assay performed by WiCell

WiCell  
29Jan20

FORM SOP-CH-048.01

Version B Edition 01

Sample Name	Result	Comments/Suggestions
MCW026i-50000685-WB67283 15256 (79973)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
UCSD128i-7-5-WB67390 15263 (79974)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
MCW055i-U2054-DB66384 15246 (79976)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
MCW030i-A2688-WB67307 15257 (79977)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
MCW007i-U2456-WB67198 15252 (79978)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
WC064i-247-1-2-22-WB67389 15259 (79979)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
MCW013i-A2767-WB67191 15253 (79980)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
MCW035i-A3267-WB67388 15251 (79981)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
MCW020i-A2023-WB67311 15258 (79982)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
MCW054i-U2073-DB66383 15247 (79989)	Negative	Band was not seen at 270bp, indicating the absence of mycoplasma.
Positive (+) Control	Positive	
Negative (-) Control	Negative	

**Reported by: Molly Miles, Cell Culture Specialist**

**Reviewed by: Katie Remondini, Cell Culture Specialist**

*Unless otherwise mutually agreed in writing, the services provided to you hereunder by WiCell Research Institute, Inc. ("WiCell") are governed solely by WiCell's Terms and Conditions of Service, found at [www.wicell.org/privacyandterms](http://www.wicell.org/privacyandterms). Any terms you may attach to a purchase order or other document that are inconsistent, add to, or conflict with WiCell's Terms and Conditions of Service are null and void and of no legal force or effect.*

*A gel image is available upon request.*